



NEWBOX

Euro-standard stackable containers of the Newbox range are available in about 20 different sizes and with a very large variety of grips, bases and walls can be used universally in the storage facility and as transport containers. The containers are stackable and dimensionally matched with Euro pallets. Compared with the Logiline range, the Newbox range impresses with a somewhat slimmer and lighter design that is nevertheless robust and dimensionally stable.




Available sizes

Basic dimensions (L×W in mm)	External height (mm)							
300×200	120	147	220					
400×300	120	170	220	270	320			
600×400	75	120	150	170	220	236	280	343 423
800×600	320							

(depending on the base design, external height +/- 5 mm)

Special types

All non-stock items are marked thus  and available on request.






Base types



Closed flat base V1



Perforated flat base V3



Ribbed base V4
(strengthened, 12 mm)



Integrated system base V6
(modularly stackable)

Side wall types



Closed wall (V1)



Perforated wall (V2)



Wall with access opening (V5, V7)

Grip types



Shell grip



Handle strip




2 open grips




4 open grips

Standard colours (Slight colour differences possible)




Colour code 18

Grey RAL 7001
(Standard)




Colour code 41

Red RAL 3020
(Limited range)



Colour code 24

Blue RAL 5015
(Limited range)




Colour code 97

Black ESD
(see section ESD)

Newbox accessories

The Newbox range includes not only plastic containers but also the appropriate lids and cases. Dividers, labelling and marking, insert boxes and rollboys for easier transport complement the range.

Dividers



Lid



Labelling



See section:
Labelling

Rollboy




See section:
Store Organisation

Tip

You will find foam cut-outs in the Logiline section.

Marking (Printing)

On request, hot embossing in the following colours can also be used to customise the design of the containers of the Newbox range:



Other colours on request.



NEWBOX

Euro-standard container NB closed


The closed Euro-standard container of the Newbox range boasts a slim design. Thanks to its robustness and dimensional stability, the Newbox is a durable and economic product.



Applications

With manual handling closed Newbox containers are used universally as transport containers or for the storage of the widest possible range of goods.

Special types

All non-stock items are marked thus  and available on request.



**NB 05 V1** Container NB

Ext. dimensions:	300x200x120 mm
Int. dimensions:	260x160x117 mm
Useable height:	103 mm
Load capacity:	12 kg
Volume:	4.9 l

Weight:	0.36 kg
Closed flat base V1	
Closed walls	
Shell grips	
No. per pallet:	320 pcs

**NB 14 V1** Container NB

Ext. dimensions:	400x300x170 mm
Int. dimensions:	358x258x168 mm
Useable height:	154 mm
Load capacity:	12 kg
Volume:	15.5 l

Weight:	0.89 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	112 pcs

**NB 06 V1** Container NB

Ext. dimensions:	300x200x147 mm
Int. dimensions:	260x160x145 mm
Useable height:	131 mm
Load capacity:	12 kg
Volume:	6.0 l

Weight:	0.40 kg
Closed flat base V1	
Closed walls	
Shell grips	
No. per pallet:	256 pcs

**NB 14 V1 SM** Container NB

Ext. dimensions:	400x300x170 mm
Int. dimensions:	358x258x168 mm
Useable height:	154 mm
Load capacity:	12 kg
Volume:	15.5 l

Weight:	0.90 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	112 pcs

**NB 09 V1** Container NB

Ext. dimensions:	300x200x220 mm
Int. dimensions:	260x160x218 mm
Useable height:	204 mm
Load capacity:	12 kg
Volume:	9.1 l

Weight:	0.53 kg
Closed flat base V1	
Closed walls	
Shell grips	
No. per pallet:	160 pcs

**NB 20 V1** Container NB

Ext. dimensions:	400x300x220 mm
Int. dimensions:	358x258x217 mm
Useable height:	201 mm
Load capacity:	12 kg
Volume:	19.9 l

Weight:	0.94 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	80 pcs

**NB 10 V1** Container NB

Ext. dimensions:	400x300x120 mm
Int. dimensions:	360x258x118 mm
Useable height:	104 mm
Load capacity:	12 kg
Volume:	11.0 l

Weight:	0.67 kg
Closed flat base V1	
Closed walls	
Shell grips	
No. per pallet:	160 pcs

**NB 20 V1 SM** Container NB

Ext. dimensions:	400x300x220 mm
Int. dimensions:	358x258x217 mm
Useable height:	201 mm
Load capacity:	12 kg
Volume:	19.9 l

Weight:	0.96 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	80 pcs



NB 20 V4 Container NB	
Ext. dimensions:	400x300x220 mm
Int. dimensions:	358x258x205 mm
Useable height:	191 mm
Load capacity:	30 kg
Volume:	18.9 l
Weight:	1.38 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	80 pcs



NB 31 V1 Container NB	
Ext. dimensions:	400x300x320 mm
Int. dimensions:	358x256x316 mm
Useable height:	302 mm
Load capacity:	12 kg
Volume:	29.0 l
Weight:	1.61 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	56 pcs



NB 25 V1 Container NB	
Ext. dimensions:	400x300x270 mm
Int. dimensions:	358x256x267 mm
Useable height:	251 mm
Load capacity:	12 kg
Volume:	24.3 l
Weight:	1.42 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	64 pcs



NB 31 V1 SM Container NB	
Ext. dimensions:	400x300x320 mm
Int. dimensions:	358x256x316 mm
Useable height:	302 mm
Load capacity:	12 kg
Volume:	29.0 l
Weight:	1.64 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	56 pcs



NB 25 V1 SM Container NB	
Ext. dimensions:	400x300x270 mm
Int. dimensions:	358x256x267 mm
Useable height:	251 mm
Load capacity:	12 kg
Volume:	24.3 l
Weight:	1.48 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	64 pcs



NB 31 V4 Container NB	
Ext. dimensions:	400x300x320 mm
Int. dimensions:	358x256x305 mm
Useable height:	291 mm
Load capacity:	30 kg
Volume:	28.0 l
Weight:	1.87 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	56 pcs



NB 25 V4 Container NB	
Ext. dimensions:	400x300x270 mm
Int. dimensions:	358x256x255 mm
Useable height:	241 mm
Load capacity:	30 kg
Volume:	23.4 l
Weight:	1.54 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	64 pcs



NB 15 V1 Container NB	
Ext. dimensions:	600x400x75 mm
Int. dimensions:	555x355x72 mm
Useable height:	56 mm
Load capacity:	12 kg
Volume:	14.2 l
Weight:	1.11 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	144 pcs

**NB 24 V1** Container NB

Ext. dimensions:	600x400x120 mm
Int. dimensions:	555x358x115 mm
Useable height:	96 mm
Load capacity:	12 kg
Volume:	22.8 l

Weight:	1.40 kg
Closed flat base V1	
Closed walls	
Shell grips	
No. per pallet:	84 pcs

**NB 24 V4** Container NB

Ext. dimensions:	600x400x115 mm
Int. dimensions:	555x358x100 mm
Useable height:	86 mm
Load capacity:	30 kg
Volume:	19.9 l

Weight:	1.73 kg
Ribbed base V4	
Closed walls	
Shell grips	
No. per pallet:	84 pcs

**NB 33 V1** Container NB

Ext. dimensions:	600x400x150 mm
Int. dimensions:	553x353x145 mm
Useable height:	129 mm
Load capacity:	12 kg
Volume:	28.3 l

Weight:	1.83 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	64 pcs

**NB 33 V1 SM** Container NB

Ext. dimensions:	600x400x150 mm
Int. dimensions:	553x353x145 mm
Useable height:	129 mm
Load capacity:	12 kg
Volume:	28.3 l

Weight:	1.87 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	64 pcs

**NB 33 V4** Container NB

Ext. dimensions:	600x400x150 mm
Int. dimensions:	553x353x130 mm
Useable height:	114 mm
Load capacity:	30 kg
Volume:	25.4 l

Weight:	1.99 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	64 pcs

**NB 34 V1** Container NB

Ext. dimensions:	600x400x170 mm
Int. dimensions:	555x355x165 mm
Useable height:	149 mm
Load capacity:	12 kg
Volume:	32.5 l

Weight:	1.85 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	56 pcs

**NB 34 V1 SM** Container NB

Ext. dimensions:	600x400x170 mm
Int. dimensions:	555x355x165 mm
Useable height:	149 mm
Load capacity:	12 kg
Volume:	32.5 l

Weight:	1.84 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	56 pcs

**NB 34 V4** Container NB

Ext. dimensions:	600x400x170 mm
Int. dimensions:	555x355x152 mm
Useable height:	136 mm
Load capacity:	30 kg
Volume:	29.9 l

Weight:	2.19 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	56 pcs



NB 42 V1 Container NB

Ext. dimensions:	600x400x220 mm
Int. dimensions:	555x358x217 mm
Useable height:	198 mm
Load capacity:	12 kg
Volume:	43.1 l

Weight:	2.09 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	44 pcs



NB 42 V1 SM Container NB

Ext. dimensions:	600x400x220 mm
Int. dimensions:	555x358x217 mm
Useable height:	198 mm
Load capacity:	12 kg
Volume:	43.1 l

Weight:	2.14 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	44 pcs



NB 42 V4 Container NB

Ext. dimensions:	600x400x215 mm
Int. dimensions:	555x358x200 mm
Useable height:	186 mm
Load capacity:	30 kg
Volume:	39.7 l

Weight:	2.34 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	44 pcs



NB 50 V1 Container NB

Ext. dimensions:	600x400x236 mm
Int. dimensions:	555x357x231 mm
Useable height:	212 mm
Load capacity:	12 kg
Volume:	45.8 l

Weight:	2.34 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	40 pcs



NB 50 V1 SM Container NB

Ext. dimensions:	600x400x236 mm
Int. dimensions:	555x357x231 mm
Useable height:	212 mm
Load capacity:	12 kg
Volume:	45.8 l

Weight:	2.42 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	40 pcs



NB 50 V4 Container NB

Ext. dimensions:	600x400x232 mm
Int. dimensions:	555x357x215 mm
Useable height:	201 mm
Load capacity:	30 kg
Volume:	42.6 l

Weight:	2.50 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	40 pcs



NB 55 V1 Container NB

Ext. dimensions:	600x400x280 mm
Int. dimensions:	553x355x277 mm
Useable height:	261 mm
Load capacity:	12 kg
Volume:	54.4 l

Weight:	2.75 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	32 pcs



NB 55 V1 SM Container NB

Ext. dimensions:	600x400x280 mm
Int. dimensions:	553x355x277 mm
Useable height:	261 mm
Load capacity:	12 kg
Volume:	54.4 l

Weight:	2.76 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	32 pcs


NB 55 V4 Container NB

Ext. dimensions:	600x400x280 mm
Int. dimensions:	553x355x260 mm
Useable height:	244 mm
Load capacity:	30 kg
Volume:	51.0 l

Weight:	3.10 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	32 pcs


NB 70 V1 Container NB

Ext. dimensions:	600x400x343 mm
Int. dimensions:	557x358x340 mm
Useable height:	321 mm
Load capacity:	12 kg
Volume:	67.8 l

Weight:	2.75 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	36 pcs


NB 70 V1 SM Container NB

Ext. dimensions:	600x400x343 mm
Int. dimensions:	557x358x340 mm
Useable height:	321 mm
Load capacity:	12 kg
Volume:	67.8 l

Weight:	2.75 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	36 pcs


NB 70 V4 Container NB

Ext. dimensions:	600x400x338 mm
Int. dimensions:	557x358x320 mm
Useable height:	306 mm
Load capacity:	30 kg
Volume:	63.8 l

Weight:	3.49 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	36 pcs


NB 80 V1 Container NB

Ext. dimensions:	600x400x423 mm
Int. dimensions:	555x355x420 mm
Useable height:	401 mm
Load capacity:	12 kg
Volume:	82.8 l

Weight:	3.94 kg
Closed flat base V1	
Closed walls	
2 open grips	
No. per pallet:	20 pcs


NB 80 V1 SM Container NB

Ext. dimensions:	600x400x423 mm
Int. dimensions:	555x355x420 mm
Useable height:	401 mm
Load capacity:	12 kg
Volume:	82.8 l

Weight:	4.05 kg
Closed flat base V1	
Closed walls	
Handle strips	
No. per pallet:	20 pcs


NB 80 V4 Container NB

Ext. dimensions:	600x400x418 mm
Int. dimensions:	555x355x400 mm
Useable height:	386 mm
Load capacity:	30 kg
Volume:	78.8 l

Weight:	4.22 kg
Ribbed base V4	
Closed walls	
2 open grips	
No. per pallet:	20 pcs

NEWBOX

Euro-standard containers NB perforated


The perforated SGL-standard stackable containers of the Newbox have a design that is permeable to air and liquids. The continual intake of air means any contents are protected against waterlogging or condensation.



Applications

Perforated Newbox containers are particularly suitable for the hygienically safe transport or storage of a wide variety of goods, particularly foodstuffs.

Special types

All non-stock items are marked thus  and available on request.



**NB 10 V2** Container NB

Ext. dimensions:	400x300x120 mm
Int. dimensions:	360x258x118 mm
Useable height:	104 mm
Load capacity:	12 kg
Volume:	11.0 l

Weight:	0.72 kg
Closed flat base V1	
Perforated walls	
Shell grips	
No. per pallet:	160 pcs

**NB 20 V2** Container NB

Ext. dimensions:	400x300x220 mm
Int. dimensions:	358x258x217 mm
Useable height:	201 mm
Load capacity:	12 kg
Volume:	19.9 l

Weight:	0.95 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	80 pcs

**NB 10 V3** Container NB

Ext. dimensions:	400x300x125 mm
Int. dimensions:	360x258x118 mm
Useable height:	99 mm
Load capacity:	10 kg
Volume:	11.0 l

Weight:	0.64 kg
Perforated flat base V3	
Perforated walls	
Shell grips	
No. per pallet:	160 pcs

**NB 20 V3** Container NB

Ext. dimensions:	400x300x225 mm
Int. dimensions:	358x258x217 mm
Useable height:	196 mm
Load capacity:	10 kg
Volume:	20.0 l

Weight:	0.84 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	80 pcs

**NB 14 V2** Container NB

Ext. dimensions:	400x300x170 mm
Int. dimensions:	358x258x168 mm
Useable height:	154 mm
Load capacity:	12 kg
Volume:	15.5 l

Weight:	0.75 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	112 pcs

**NB 25 V2** Container NB

Ext. dimensions:	400x300x270 mm
Int. dimensions:	358x256x267 mm
Useable height:	253 mm
Load capacity:	12 kg
Volume:	24.5 l

Weight:	1.08 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	64 pcs

**NB 14 V3** Container NB

Ext. dimensions:	400x300x175 mm
Int. dimensions:	358x258x168 mm
Useable height:	149 mm
Load capacity:	10 kg
Volume:	15.5 l

Weight:	0.66 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	112 pcs

**NB 25 V3** Container NB

Ext. dimensions:	400x300x275 mm
Int. dimensions:	358x256x267 mm
Useable height:	246 mm
Load capacity:	10 kg
Volume:	24.5 l

Weight:	0.98 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	64 pcs



NB 31 V2 Container NB	
Ext. dimensions:	400x300x320 mm
Int. dimensions:	358x256x316 mm
Useable height:	302 mm
Load capacity:	12 kg
Volume:	29.0 l
Weight:	1.24 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet: 56 pcs	



NB 31 V3 Container NB	
Ext. dimensions:	400x300x325 mm
Int. dimensions:	358x256x316 mm
Useable height:	295 mm
Load capacity:	10 kg
Volume:	29.0 l
Weight:	1.09 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet: 56 pcs	



NB 15 V2 Container NB	
Ext. dimensions:	600x400x75 mm
Int. dimensions:	555x355x72 mm
Useable height:	56 mm
Load capacity:	12 kg
Volume:	14.2 l
Weight:	1.08 kg
Closed flat base V1	
Perforated walls	
Handle strips	
No. per pallet: 144 pcs	



NB 15 V3 Container NB	
Ext. dimensions:	600x400x75 mm
Int. dimensions:	555x355x58 mm
Useable height:	42 mm
Load capacity:	10 kg
Volume:	11.4 l
Weight:	1.12 kg
Perforated flat base V3	
Perforated walls	
Handle strips	
No. per pallet: 144 pcs	



NB 24 V2 Container NB	
Ext. dimensions:	600x400x120 mm
Int. dimensions:	555x358x115 mm
Useable height:	96 mm
Load capacity:	12 kg
Volume:	22.8 l
Weight:	1.34 kg
Closed flat base V1	
Perforated walls	
Shell grips	
No. per pallet: 84 pcs	



NB 24 V3 Container NB	
Ext. dimensions:	600x400x120 mm
Int. dimensions:	555x358x110 mm
Useable height:	90 mm
Load capacity:	10 kg
Volume:	21.9 l
Weight:	1.29 kg
Perforated flat base V3	
Perforated walls	
Shell grips	
No. per pallet: 84 pcs	



NB 33 V2 Container NB	
Ext. dimensions:	600x400x150 mm
Int. dimensions:	553x353x145 mm
Useable height:	129 mm
Load capacity:	12 kg
Volume:	28.3 l
Weight:	1.57 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet: 64 pcs	



NB 33 V3 Container NB	
Ext. dimensions:	600x400x150 mm
Int. dimensions:	553x353x130 mm
Useable height:	114 mm
Load capacity:	10 kg
Volume:	25.4 l
Weight:	1.44 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet: 64 pcs	

**NB 34 V2** Container NB

Ext. dimensions:	600x400x170 mm
Int. dimensions:	555x355x165 mm
Useable height:	149 mm
Load capacity:	12 kg
Volume:	32.5 l

Weight:	1.60 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	56 pcs

**NB 34 V3** Container NB

Ext. dimensions:	600x400x170 mm
Int. dimensions:	555x355x152 mm
Useable height:	136 mm
Load capacity:	10 kg
Volume:	29.9 l

Weight:	1.45 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	56 pcs

**NB 42 V2** Container NB

Ext. dimensions:	600x400x220 mm
Int. dimensions:	555x358x217 mm
Useable height:	198 mm
Load capacity:	12 kg
Volume:	43.1 l

Weight:	1.81 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	44 pcs

**NB 42 V3** Container NB

Ext. dimensions:	600x400x220 mm
Int. dimensions:	555x358x207 mm
Useable height:	187 mm
Load capacity:	10 kg
Volume:	41.1 l

Weight:	1.64 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	44 pcs

**NB 50 V2** Container NB

Ext. dimensions:	600x400x236 mm
Int. dimensions:	555x357x231 mm
Useable height:	212 mm
Load capacity:	12 kg
Volume:	45.8 l

Weight:	2.08 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	40 pcs

**NB 50 V3** Container NB

Ext. dimensions:	600x400x236 mm
Int. dimensions:	555x357x222 mm
Useable height:	202 mm
Load capacity:	10 kg
Volume:	44.0 l

Weight:	1.91 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	40 pcs

**NB 55 V2** Container NB

Ext. dimensions:	600x400x280 mm
Int. dimensions:	553x355x277 mm
Useable height:	261 mm
Load capacity:	12 kg
Volume:	54.4 l

Weight:	2.29 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	32 pcs

**NB 55 V3** Container NB

Ext. dimensions:	600x400x280 mm
Int. dimensions:	553x355x263 mm
Useable height:	247 mm
Load capacity:	10 kg
Volume:	51.6 l

Weight:	2.10 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	32 pcs



NB 70 V2 Container NB

Ext. dimensions:	600x400x343 mm
Int. dimensions:	557x358x340 mm
Useable height:	321 mm
Load capacity:	12 kg
Volume:	67.8 l

Weight:	2.82 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	36 pcs



NB 70 V3 Container NB

Ext. dimensions:	600x400x338 mm
Int. dimensions:	557x358x320 mm
Useable height:	306 mm
Load capacity:	10 kg
Volume:	63.8 l

Weight:	2.68 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	36 pcs



NB 80 V2 Container NB

Ext. dimensions:	600x400x423 mm
Int. dimensions:	555x355x420 mm
Useable height:	401 mm
Load capacity:	12 kg
Volume:	82.8 l

Weight:	3.15 kg
Closed flat base V1	
Perforated walls	
2 open grips	
No. per pallet:	20 pcs



NB 80 V3 Container NB

Ext. dimensions:	600x400x418 mm
Int. dimensions:	555x355x400 mm
Useable height:	386 mm
Load capacity:	10 kg
Volume:	78.8 l

Weight:	2.99 kg
Perforated flat base V3	
Perforated walls	
2 open grips	
No. per pallet:	20 pcs



NEWBOX

Euro-standard container NB with access opening


Newbox Euro-standard containers with an access opening enable the contents to be added or removed easily via the opening in the narrow or long side – even in the stack. The design means the organisation and storage of the parts is always visible.



Applications

Newbox containers with an access opening offer a practical solution for the storage of tools and small parts at set-up locations and for work preparation.

Special types

All non-stock items are marked thus  and available on request.



**NB 20 V7 3M** Container NB

Ext. dimensions:	400x300x220 mm
Int. dimensions:	358x258x217 mm
Useable height:	201 mm
Load capacity:	12 kg
Volume:	19.9 l

Weight: 1.17 kg

Closed flat base V1

1 long side open
3 open grips
No. per pallet: 80 pcs

**NB 31 V5** Container NB

Ext. dimensions:	400x300x320 mm
Int. dimensions:	358x256x316 mm
Useable height:	302 mm
Load capacity:	12 kg
Volume:	29.0 l

Weight: 1.51 kg

Closed flat base V1

1 front side open
2 open grips
No. per pallet: 56 pcs

**NB 42 V5** Container NB

Ext. dimensions:	600x400x220 mm
Int. dimensions:	555x358x217 mm
Useable height:	198 mm
Load capacity:	12 kg
Volume:	43.1 l

Weight: 2.03 kg

Closed flat base V1

1 front side open
2 open grips
No. per pallet: 44 pcs

**NB 42 V5 3M** Container NB

Ext. dimensions:	600x400x220 mm
Int. dimensions:	555x358x217 mm
Useable height:	198 mm
Load capacity:	12 kg
Volume:	43.1 l

Weight: 2.03 kg

Closed flat base V1

1 front side open
3 open grips
No. per pallet: 44 pcs

**NB 42 V7** Container NB

Ext. dimensions:	600x400x220 mm
Int. dimensions:	555x358x217 mm
Useable height:	198 mm
Load capacity:	12 kg
Volume:	43.1 l

Weight: 2.03 kg

Closed flat base V1

1 long side open
2 open grips
No. per pallet: 44 pcs

**NB 55 V5** Container NB

Ext. dimensions:	600x400x280 mm
Int. dimensions:	553x355x277 mm
Useable height:	261 mm
Load capacity:	12 kg
Volume:	54.4 l

Weight: 2.61 kg

Closed flat base V1

1 front side open
2 open grips
No. per pallet: 32 pcs

**NB 70 V5** Container NB

Ext. dimensions:	600x400x343 mm
Int. dimensions:	557x358x340 mm
Useable height:	321 mm
Load capacity:	12 kg
Volume:	67.8 l

Weight: 2.65 kg

Closed flat base V1

1 front side open
2 open grips
No. per pallet: 36 pcs

**NB 80 V5** Container NB

Ext. dimensions:	600x400x423 mm
Int. dimensions:	555x355x420 mm
Useable height:	401 mm
Load capacity:	12 kg
Volume:	82.8 l

Weight: 3.83 kg

Closed flat base V1

1 front side open
1 open grip
No. per pallet: 20 pcs

NEWBOX

Euro-standard container NB integrated system

It is now child's play to modularly stack containers of different sizes! This is precisely what the unique ribbed design of the Newbox integrated system base now makes possible, with an enhanced load capacity of the container as a bonus. **Modular stacking** between the smallest (300×200) and largest (800×600) containers is now guaranteed without any limitations.



V6 ribbed design



400×300 mm



600×400 mm




800×600 mm

Applications

Newbox containers with an integrated system base are ideally suitable for space-saving and flexible **modular stacking** where small parts and goods are stored manually.

Special types

All non-stock items are marked thus  and available on request.



**NB 20 V6** Container NBExt. dimensions: **400x300x220 mm**

Int. dimensions: 358x258x205 mm

Useable height: 191 mm

Load capacity: 30 kg

Volume: 20.0 l

Weight: 1.20 kg

Integrated system base V6

Closed walls

2 open grips

No. per pallet: 80 pcs

**NB 25 V6** Container NBExt. dimensions: **400x300x270 mm**

Int. dimensions: 358x256x255 mm

Useable height: 241 mm

Load capacity: 30 kg

Volume: 23.4 l

Weight: 1.40 kg

Integrated system base V6

Closed walls

2 open grips

No. per pallet: 64 pcs

**NB 42 V6** Container NBExt. dimensions: **600x400x220 mm**

Int. dimensions: 558x358x200 mm

Useable height: 184 mm

Load capacity: 30 kg

Volume: 40.0 l

Weight: 2.10 kg

Integrated system base V6

Closed walls

2 open grips

No. per pallet: 44 pcs

**NB 55 V6** Container NBExt. dimensions: **600x400x280 mm**

Int. dimensions: 555x355x260 mm

Useable height: 244 mm

Load capacity: 30 kg

Volume: 51.2 l

Weight: 2.80 kg

Integrated system base V6

Closed walls

2 open grips

No. per pallet: 32 pcs

**NB 130 V6** Container NBExt. dimensions: **800x600x320 mm**

Int. dimensions: 753x552x297 mm

Useable height: 277 mm

Load capacity: 30 kg

Volume: 123.4 l

Weight: 5.15 kg

Integrated system base V6

Closed walls

4 open grips

No. per pallet: 14 pcs

NEWBOX

Euro-standard lid NB

The Newbox lid can be operated single-handedly and is available in two versions: loose for placing on the container or with hinges and closures. It is adapted to the Euro-standard container, is easy to handle and the wearing parts can be replaced at any time.



Applications


The Newbox lid combined with a Newbox container provides optimal protection of the contents of the container against external influences.

Available sizes

Basic dimensions (L×W in mm)
300×200
400×300
600×400

Suitable for Newbox stackable containers

Hinge for lid



NBC 32




NBC 43



NBC 64

Special types

All non-stock items are marked thus  and available on request.





NBC 32 SG Loose lid NB

Ext. dimensions: **300x200 mm**

Weight: 151 g

No. per pack: 30 pcs
for loosely laying on



NBC 64 SG Loose lid NB

Ext. dimensions: **600x400 mm**

Weight: 728 g

No. per pack: 10 pcs
for loosely laying on



NBC 32 Hinged lid NB

Ext. dimensions: **300x200 mm**

Weight: 150 g

No. per pack: 30 pcs
2 hinges



NBC 64 Hinged lid NB

Ext. dimensions: **600x400 mm**

Weight: 716 g

No. per pack: 10 pcs
2 hinges



NBC 43 SG Loose lid NB

Ext. dimensions: **400x300 mm**

Weight: 279 g

No. per pack: 20 pcs
for loosely laying on



NBC S Sliding closure for lid NB

Weight: 4 g

Material: PA

No. per pack: 100 pcs

un-assembled
accessories for euro-norm case & lid
also unit of 100 pieces available



NBC 43 Hinged lid NB

Ext. dimensions: **400x300 mm**

Weight: 274 g

No. per pack: 20 pcs
2 hinges



NBC SC Snap closure for lid NB

Weight: 3 g

Material: POM

un-assembled, loose
accessories for euro-norm case & lid

NEWBOX

Euro-standard case NB

The Newbox Euro-standard case consists of a Newbox stackable container, a Newbox hinged lid with closures and one or more handles that make it practical and comfortable to carry.



Applications

The Newbox case makes it easier to transport the container manually. If accessories such as dividers, foam or insert boxes are added, it is an ideal tool case; however, it is also very well suited for other applications.


Available sizes

Basic dimensions (L×W in mm)
300×200
400×300
600×400

Tip

Other sizes of Newbox container are also available as cases on request.

Special types

All non-stock items are marked thus  and available on request.



**PC 05** Case NB

Ext. dimensions:	300x200x133 mm
Int. dimensions:	260x160x117 mm
Useable height:	117 mm
Load capacity:	12 kg
Volume:	4.9 l

Weight: 0.57 kg

Closed flat base V1

Shell grips
1 carrying grip on the long side
No. per pallet: 256 pcs

**PC 14 SM** Case NB

Ext. dimensions:	400x300x183 mm
Int. dimensions:	358x258x168 mm
Useable height:	168 mm
Load capacity:	12 kg
Volume:	15.5 l

Weight: 1.19 kg

Closed flat base V1

Handle strips
without carrying grip
No. per pallet: 88 pcs

**PC 10** Case NB

Ext. dimensions:	400x300x133 mm
Int. dimensions:	360x258x118 mm
Useable height:	118 mm
Load capacity:	12 kg
Volume:	11.0 l

Weight: 1.02 kg

Closed flat base V1

Shell grips
1 carrying grip on the long side
No. per pallet: 128 pcs

**PC 20** Case NB

Ext. dimensions:	400x300x233 mm
Int. dimensions:	358x258x215 mm
Useable height:	215 mm
Load capacity:	12 kg
Volume:	19.9 l

Weight: 1.32 kg

Closed flat base V1

Handle strips
1 carrying grip on the long side
No. per pallet: 72 pcs

**PC 10 SM** Case NB

Ext. dimensions:	400x300x133 mm
Int. dimensions:	360x258x118 mm
Useable height:	118 mm
Load capacity:	12 kg
Volume:	11.0 l

Weight: 0.95 kg

Closed flat base V1

Shell grips
without carrying grip
No. per pallet: 128 pcs

**PC 20 SM** Case NB

Ext. dimensions:	400x300x233 mm
Int. dimensions:	358x258x215 mm
Useable height:	215 mm
Load capacity:	12 kg
Volume:	19.9 l

Weight: 1.24 kg

Closed flat base V1

Handle strips
without carrying grip
No. per pallet: 72 pcs

**PC 14** Case NB

Ext. dimensions:	400x300x183 mm
Int. dimensions:	358x258x168 mm
Useable height:	168 mm
Load capacity:	12 kg
Volume:	15.5 l

Weight: 1.26 kg

Closed flat base V1

Handle strips
1 carrying grip on the long side
No. per pallet: 88 pcs

**PC 25** Case NB

Ext. dimensions:	400x300x283 mm
Int. dimensions:	358x256x265 mm
Useable height:	265 mm
Load capacity:	12 kg
Volume:	24.3 l

Weight: 1.82 kg

Closed flat base V1

Handle strips
1 carrying grip on the long side
No. per pallet: 56 pcs



PC 31 2M Case NB

Ext. dimensions:	400x300x333 mm
Int. dimensions:	358x256x316 mm
Useable height:	316 mm
Load capacity:	12 kg
Volume:	29.0 l

Weight:	2.17 kg
Closed flat base V1	
Handle strips	
2 carrying grips on the short side	
No. per pallet:	48 pcs



PC 33 Case NB

Ext. dimensions:	600x400x165 mm
Int. dimensions:	553x353x145 mm
Useable height:	145 mm
Load capacity:	12 kg
Volume:	28.3 l

Weight:	2.67 kg
Closed flat base V1	
Handle strips	
1 carrying grip on the long side	
No. per pallet:	52 pcs



PC 15 Case NB

Ext. dimensions:	600x400x88 mm
Int. dimensions:	555x355x72 mm
Useable height:	72 mm
Load capacity:	12 kg
Volume:	14.2 l

Weight:	1.90 kg
Closed flat base V1	
Handle strips	
1 carrying grip on the long side	
No. per pallet:	104 pcs



PC 34 Case NB

Ext. dimensions:	600x400x185 mm
Int. dimensions:	555x355x165 mm
Useable height:	165 mm
Load capacity:	12 kg
Volume:	32.5 l

Weight:	2.59 kg
Closed flat base V1	
Handle strips	
1 carrying grip on the long side	
No. per pallet:	44 pcs



PC 24 Case NB

Ext. dimensions:	600x400x133 mm
Int. dimensions:	555x358x115 mm
Useable height:	115 mm
Load capacity:	12 kg
Volume:	22.8 l

Weight:	2.26 kg
Closed flat base V1	
Shell grips	
1 carrying grip on the long side	
No. per pallet:	64 pcs



PC 34 2M Case NB

Ext. dimensions:	600x400x185 mm
Int. dimensions:	555x355x165 mm
Useable height:	165 mm
Load capacity:	12 kg
Volume:	32.5 l

Weight:	2.66 kg
Closed flat base V1	
Handle strips	
2 carrying grips on the short side	
No. per pallet:	44 pcs



PC 24 2M Case NB

Ext. dimensions:	600x400x133 mm
Int. dimensions:	555x358x115 mm
Useable height:	115 mm
Load capacity:	12 kg
Volume:	22.8 l

Weight:	2.31 kg
Closed flat base V1	
Shell grips	
2 carrying grips on the short side	
No. per pallet:	64 pcs



PC 42 Case NB

Ext. dimensions:	600x400x233 mm
Int. dimensions:	555x358x217 mm
Useable height:	217 mm
Load capacity:	12 kg
Volume:	43.1 l

Weight:	2.92 kg
Closed flat base V1	
Handle strips	
1 carrying grip on the long side	
No. per pallet:	36 pcs

**PC 42 2M** Case NBExt. dimensions: **600x400x233 mm**

Int. dimensions: 555x358x217 mm

Useable height: 217 mm

Load capacity: 12 kg

Volume: 43.1 l

Weight: 2.99 kg

Closed flat base V1

Handle strips

2 carrying grips on the short side

No. per pallet: 36 pcs

**PC 50 2M** Case NBExt. dimensions: **600x400x251 mm**

Int. dimensions: 555x357x231 mm

Useable height: 231 mm

Load capacity: 12 kg

Volume: 45.8 l

Weight: 3.24 kg

Closed flat base V1

Handle strips

2 carrying grips on the short side

No. per pallet: 32 pcs

**PC 55 2M** Case NBExt. dimensions: **600x400x296 mm**

Int. dimensions: 553x355x277 mm

Useable height: 277 mm

Load capacity: 12 kg

Volume: 54.4 l

Weight: 3.54 kg

Closed flat base V1

Handle strips

2 carrying grips on the short side

No. per pallet: 28 pcs

**PC 70 2M** Case NBExt. dimensions: **600x400x357 mm**

Int. dimensions: 557x358x340 mm

Useable height: 340 mm

Load capacity: 12 kg

Volume: 67.8 l

Weight: 3.58 kg

Closed flat base V1

Handle strips

2 carrying grips on the short side

No. per pallet: 20 pcs

**PC 80 2M** Case NBExt. dimensions: **600x400x437 mm**

Int. dimensions: 555x355x420 mm

Useable height: 420 mm

Load capacity: 12 kg

Volume: 82.8 l

Weight: 4.80 kg

Closed flat base V1

Handle strips


2 carrying grips on the short side

No. per pallet: 16 pcs

NEWBOX

Dividers NB

Newbox dividers allow Newbox containers to be subdivided flexibly and ensure orderliness and provide protection when used. Thanks to the snap-in system, the dividers are held together firmly, even during cleaning or removal. The rounded edges and guide grooves make handling easy and comfortable.




Applications

Newbox dividers allow containers to be partitioned flexibly to meet specific requirements for tidiness and protection.

Suitable for 600×400 mm Newbox stackable containers.

Special types

All non-stock items are marked thus  and available on request.





Divit 400 Divider NB	
Ext. dimensions:	352x100 mm
Weight:	63 g
No. per pack:	50 pcs

divider 15 mm
H=100 mm / L=400 mm



Divit 600 Divider NB	
Ext. dimensions:	552x100 mm
Weight:	100 g
No. per pack:	40 pcs

divider 15 mm
H=100 mm / L=600 mm

SYSTEMBOX

Open-fronted storage boxes SB

The Systembox range is the most versatile of our open-fronted storage boxes. It comes in four standard colours and is with lids, screens and for the Z range boxes is also with dividers available. Made from polyethylene, this model is lightweight, resistant to chemicals and perfectly suited for use in industry as well as in the home. Together with the compatible carrier system, the Systembox can be incorporated optimally in your manufacturing line or assembly unit, or even in your cellar or hobby room. All models are mutually stackable for intermediate storage and can be transported comfortably thanks to recessed grips.



Applications

Open-fronted Classicbox storage boxes organise and protect your small parts in a clear manner and are also perfectly suitable for use with the Kanban method.

Accessories


The Systembox range offers a complete range of accessories, such as labels, screens, lids and length and cross dividers with the models of the Z range.

Tip

The Classicbox, Systembox and Futura ranges are mutually compatible.

We recommend that you also take a look at the section Rack systems for open-fronted storage boxes, which leaves almost nothing to be desired where optimal space utilisation is concerned.

Special types

All non-stock items are marked thus  and available on request.



**SB 6** Storage box SBExt. dimensions: **85x100x50 mm**

Int. dimensions: 63x83x38 mm

Volume: 0.2 l

Material: PE-HD

No. per pack: 50 pcs

**SB 4 TR** Storage box SBExt. dimensions: **230x150x130 mm**

Int. dimensions: 190x126x119 mm

Volume: 2.8 l

Material: PS

No. per pack: 25 pcs

**SB 2** Storage box SBExt. dimensions: **500x310x200 mm**

Int. dimensions: 445x280x185 mm

Volume: 23.1 l

Material: PE-HD

No. per pack: 10 pcs

**SB ET 3 Z** Label for SBExt. dimensions: **190x42 mm**

Material: Paper

No. per pack: 100 pcs

**SB 5** Storage box SBExt. dimensions: **160x100x75 mm**

Int. dimensions: 134x83x65 mm

Volume: 0.7 l

Material: PE-HD

No. per pack: 25 pcs

**SB 3 Z** Storage box SBExt. dimensions: **350x210x145 mm**

Int. dimensions: 300x181x135 mm

Volume: 7.3 l

Material: PE-HD

No. per pack: 14 pcs

**SB ET 6** Label for SBExt. dimensions: **51x9 mm**

Material: Paper

No. per pack: 100 pcs

**SB ET 3** Label for SBExt. dimensions: **196x42 mm**

Material: Paper

No. per pack: 100 pcs

**SB 5 TR** Storage box SBExt. dimensions: **160x100x75 mm**

Int. dimensions: 134x83x65 mm

Volume: 0.7 l

Material: PS

No. per pack: 25 pcs

**SB 3** Storage box SBExt. dimensions: **350x210x200 mm**

Int. dimensions: 295x185x185 mm

Volume: 10.1 l

Material: PE-HD

No. per pack: 10 pcs

**SB ET 5** Label for SBExt. dimensions: **95x20 mm**

Material: Paper

No. per pack: 100 pcs

**SB ET 2 Z** Label for SBExt. dimensions: **291x42 mm**

Material: Paper

No. per pack: 100 pcs

**SB 4** Storage box SBExt. dimensions: **230x150x130 mm**

Int. dimensions: 190x126x119 mm

Volume: 2.8 l

Material: PE-HD

No. per pack: 25 pcs

**SB 2 Z** Storage box SBExt. dimensions: **500x310x145 mm**

Int. dimensions: 445x280x135 mm

Volume: 16.8 l

Material: PE-HD

No. per pack: 14 pcs

**SB ET 4** Label for SBExt. dimensions: **135x41 mm**

Material: Paper

No. per pack: 100 pcs

**SB ET 2** Label for SBExt. dimensions: **298x42 mm**

Material: Paper

No. per pack: 100 pcs



☑

SB SS 5 Screen for SB
Ext. dimensions: **90x30 mm**
Material: PC
No. per pack: 10 pcs



☑

SB SS 3 Z Screen for SB
Ext. dimensions: **190x65 mm**
Material: PC
No. per pack: 10 pcs



☑

SB D 5 Lid for SB
Ext. dimensions: **154x96 mm**
Material: PS
No. per pack: 10 pcs



☑

SB QT 3 Z Cross divider for SB
Ext. dimensions: **190x125 mm**
Material: PS
No. per pack: 10 pcs



☑

SB SS 4 Screen for SB
Ext. dimensions: **130x55 mm**
Material: PC
No. per pack: 10 pcs



☑

SB SS 3 Screen for SB
Ext. dimensions: **195x90 mm**
Material: PC
No. per pack: 10 pcs



☑

SB D 4 Lid for SB
Ext. dimensions: **220x140 mm**
Material: PS
No. per pack: 10 pcs



☑

SB QT 2 Z Cross divider for SB
Ext. dimensions: **290x125 mm**
Material: PS
No. per pack: 10 pcs



☑

SB SS 2 Z Screen for SB
Ext. dimensions: **285x65 mm**
Material: PC
No. per pack: 10 pcs



☑

SB D 3 - 3 Z Lid for SB
Ext. dimensions: **322x198 mm**
Material: PS
No. per pack: 10 pcs



☑

SB LT 3 Z Length divider for SB
Ext. dimensions: **295x125 mm**
Material: PS
No. per pack: 10 pcs



☑

SB SS 2 Screen for SB
Ext. dimensions: **290x95 mm**
Material: PC
No. per pack: 10 pcs



☑

SB D 2 - 2 Z Lid for SB
Ext. dimensions: **470x300 mm**
Material: PS
No. per pack: 10 pcs



☑

SB LT 2 Z Length divider for SB
Ext. dimensions: **445x125 mm**
Material: PS
No. per pack: 10 pcs

RACK SYSTEMS WITH OSB

STAND

STANDPLUS

Box Mobil

Rack systems with open-fronted storage boxes (OSB) are available in three variants under the brand names Stand, Standplus and Box Mobil. They are ideally suited for workshops, stores and everywhere where lots of small parts are stored and processed. Our rack systems create the perfect solution for keeping things in place. By coordinating the sizes of the open-fronted storage boxes exactly, the space available will be used optimally and the search for specific small parts will be simplified enormously.



The racks can be equipped with any of our **Classicbox**, **Systembox** or **Futura** open-fronted storage boxes and in addition with the **Lagerbox** rack boxes (see Lagerbox Combine section). This means it is possible to store a very wide range of small parts in a space-saving manner with a high degree of flexibility.

Available sizes

Rack type	Basic dimensions (LxH in mm)
Stand	1000x2000
Standplus	1150x1870
Box Mobil	1150x1570

Standard colours (slight colour differences possible)



Grey RAL 7035

Tip

The following product images are just a few of the multi-farious possible combinations. We will gladly advise you on the best solution for your requirement.



Stand

Basic frame

- 2 side parts
 - 2 diagonal struts
 - 2 span locks
 - 4 clamping feet
 - 4 plastic covers
 - including incidentals
 - without shelves
-
- free-standing shelving unit
 - open-fronted storage boxes and rack boxes for insertion



Additional frame

- 1 side part
- 1 diagonal strut
- 1 span lock
- 2 clamping feet
- 2 plastic covers
- including incidentals
- without shelves



Standplus

Basic frame

- 2 side parts
 - 2 feet
 - including incidentals
 - without hanging rails
-
- free-standing storage rack for hanging bins
 - open-fronted storage boxes for hanging



Box Mobil

Basic frame

- 1 base plate with four wheels
(2 steerable and 2 fixed wheels)
 - 2 side parts and 1 handle, mounted on a side part
 - including incidentals
 - without hanging rails
-
- mobile, moveable storage rack for hanging bins
 - open-fronted storage boxes for hanging



STAND

Rack SD fitted out

The Stand rack is a boltless shelving system that can be assembled quickly and simply. The side frames consist of grey (RAL 7035) lacquered steel sheet. The design of the side frames coupled with the galvanised shelves creates a rack with the greatest possible stability and space utilisation.



Equipping

The racks can be equipped with any of our **Classicbox**, **Systembox**, **Futura** open-fronted storage boxes, as well as with Lagerbox rack boxes (see Lagerbox Combine section), and can be extended using add-on racks as desired.

Delivery

This item is delivered unassembled for transport reasons. The incidentals are enclosed with the basic frame.

Available sizes

Basic dimensions (LxH in mm)	Depth (mm)		
1000x2000	300	400	500

Tip

The following product images are just a few of the multifarious possible combinations. We will gladly advise you on the best solution for your requirement.





SB GR 3/28 Basic frame SD fitted
Ext. dimensions: **1000x300x2000 mm**
with 8 shelves

fitted with
28 SB 3



FA GR 5/21 Basic frame SD fitted
Ext. dimensions: **1000x500x2000 mm**
with 8 shelves

fitted with
21 FA 2




FA GR 3/36 Basic frame SD fitted
Ext. dimensions: **1000x300x2000 mm**
with 10 shelves

fitted with
36 FA 3 Z



SB GR 5/27 Basic frame SD fitted
Ext. dimensions: **1000x500x2000 mm**
with 10 shelves


fitted with
27 SB 2 Z



GR 300 Basic frame SD

Ext. dimensions: **1000x300x2000 mm**


shipment see chapter page



GR 500 Basic frame SD

Ext. dimensions: **1000x500x2000 mm**

shipment see chapter page



GR 400 Basic frame SD

Ext. dimensions: **1000x400x2000 mm**


shipment see chapter page



AR 300 Additional frame SD

Ext. dimensions: **1000x300x2000 mm**

shipment see chapter page



AR 500 Additional frame SD

Ext. dimensions: **1000x500x2000 mm**

shipment see chapter page



AR 400 Additional frame SD

Ext. dimensions: **1000x400x2000 mm**

shipment see chapter page



FB 300 Shelf SD

Ext. dimensions: **1000x300x40 mm**



FB 500 Shelf SD

Ext. dimensions: **1000x500x40 mm**



FB 400 Shelf SD

Ext. dimensions: **1000x400x40 mm**



STANDPLUS

Rack SDP fitted out

The Standplus rack is a system of rails and profiles made from grey (RAL 7035) lacquered steel sheet for storing small parts in open-fronted storage boxes in a clear and systematic manner that can be assembled in accordance with the size of the parts to be stored. This guarantees the best possible space utilisation.



Equipping

The Standplus rack can be equipped with **Classicbox**, **Systembox** and **Futura** open-fronted storage boxes.

Delivery

This item is delivered unassembled for transport reasons. The incidentals are enclosed with the basic frame.

Available sizes

Basic dimensions (LxH in mm)

1150×1870

Tip


The following product images are just a few of the multifarious possible combinations. We will gladly advise you on the best solution for your requirement.





FA ER 100 Hanging rack SDP 1sided
Ext. dimensions: **1150x1870 mm**
with 11 hanging rails

fitted with
100 FA 5



FA ER 70 Hanging rack SDP 1sided
Ext. dimensions: **1150x1870 mm**
with 11 hanging rails

fitted with
70 FA 4



SB ER 78 Hanging rack SDP 1sided
Ext. dimensions: **1150x1870 mm**
with 10 hanging rails

fitted with
50 SB, 28 SB 4




SB ER 73 Hanging rack SDP 1sided
Ext. dimensions: **1150x1870 mm**
with 11 hanging rails

fitted with
30 SB 5, 28 SB 4, 15 SB 3Z




FA DR 98 Hanging rack SDP 2sided
Ext. dimensions: **1150x1870 mm**
with 16 hanging rails

fitted with
98 FA 4




SB DR 126 Hanging rack SDP 2sided
Ext. dimensions: **1150x1870 mm**
with 20 hanging rails

fitted with
126 SB 4




FA DR 156 Hanging rack SDP 2sided
Ext. dimensions: **1150x1870 mm**
with 20 hanging rails

fitted with
100 FA 5, 56 FA 4



SB DR 146 Hanging rack SDP 2sided
Ext. dimensions: **1150x1870 mm**
with 22 hanging rails

fitted with
60 SB 5, 56 SB 4, 30 SB 3Z



G SB/FA Basic frame SDP

Ext. dimensions: **1150x1870 mm**

shipment see chapter page



A HS Hanging rail SDP / BM

Ext. dimensions: **1150 mm**

Box MOBIL

Rack BM fitted out

The moveable rack Box Mobil is a system of rails and profiles made from grey (RAL 7035) lacquered steel sheet, mounted on four rubber wheels, for practical mobile transport within workshops and factories. Everything is thus clearly visible and arranged systematically, and at the same time also available at the exact place where it is needed.



Equipping

The rack Box Mobil can be equipped with **Classicbox**, **Systembox** and **Futura** open-fronted storage boxes.

Delivery

This item is delivered unassembled for transport reasons. The incidentals are enclosed with the basic frame.

Available sizes

Basic dimensions (LxH in mm)

1150×1570

Tip

The following product images are just a few of the multifarious possible equipping options. We will gladly advise you on the best solution for your requirement.





SB M 84 Hanging rack BM 2sided
Ext. dimensions: **1150x500x1570 mm**
with 14 hanging rails

fitted with
84 SB 4



FA M 180 Hanging rack BM 2sided
Ext. dimensions: **1150x500x1570 mm**
with 20 hanging rails

fitted with
180 FA 5



SB M 142 Hanging rack BM 2sided
Ext. dimensions: **1150x500x1570 mm**
with 18 hanging rails

fitted with
100 SB 5, 42 SB 4



BM Basic frame BM
Ext. dimensions: **1150x1570 mm**
2 castors & 2 fixed castors Ø125 mm

shipment see chapter page
hanging rails see chapter Standplus

STALA

Stala is the optimal solution where storage systems are concerned. The basic prerequisites for a modern storage system today are that it is well organised, maintains an overview of the stored parts and provides a dust-free environment. The basis of the Stala® storage system developed by us are six different sizes of transparent tipping plastic bins (= Stala Boxes) with the appropriate housings (= Stala Sets). The tipping bins can be tilted forward easily or completely removed from the rack. The modular system means there are no limits increasing the width or height of the system.




Available sizes: Stala Box

Length (mm)	Depth (mm)	Height (mm)
50	42	46
80	63	70
100	97	108
128	128	133
175	140	160
268	220	243

Available sizes: Stala Set

Length (mm)	Depth (mm)	Height (mm)
600	51	77
304	75	113
600	75	113
600	110	164
600	137	207
600	163	242
600	246	353

Special types

All non-stock items are marked thus  and available on request.





There are hardly any limits for Stala rack and cabinet systems. They can be customised exactly to your specific requirements, whether it be as a wall rack, a mobile workbench, concepts for dispensaries and the widest possible range of retail areas or also as a classic standing rack.



Stala Set



Stala Box with accessories



Stala Complet



Stala Flexi



Stala Top



Stala Mobil




Stala Perfect




Stala Shopconcept

Standard colours (slight colour differences possible)




White RAL 9002




Blue RAL 5002




Beige Pantone 7528C




Grey RAL 7035



Blue RAL 5010



White RAL 9016



Grey RAL 7047

STALA

Stala Set ST


The Stala Set is the basis for this storage system. It is the combinable basic element for all Stala storage systems. The housing is made of impact-resistant polystyrene. The transparent tipping containers are easy to handle and allow a good view of the contents.



Applications

The Stala Set is the perfect solution for the storage and the transport of small parts. Combined with the different rack and cabinet systems, there are almost unlimited possibilities.

Special types

All non-stock items are marked thus  and available on request.





ST S 9 ST Set

Ext. dimensions: **600x51x77 mm**
Volume: 0.9 l

No. per pallet: 198 pcs
No. per pack: 1 pcs



ST S 4 ST Set

Ext. dimensions: **600x137x207 mm**
Volume: 8.4 l

No. per pallet: 72 pcs
No. per pack: 1 pcs



ST S 3/6 ST Set

Ext. dimensions: **304x75x113 mm**
Volume: 1.1 l

No. per pallet: 360 pcs
No. per pack: 2 pcs



ST S 3 ST Set

Ext. dimensions: **600x163x242 mm**
Volume: 12.5 l

No. per pallet: 56 pcs
No. per pack: 1 pcs



ST S 6 ST Set

Ext. dimensions: **600x75x113 mm**
Volume: 2.2 l

No. per pallet: 180 pcs
No. per pack: 1 pcs



ST S 2 ST Set

Ext. dimensions: **600x246x353 mm**
Volume: 28.0 l

No. per pallet: 30 pcs
No. per pack: 1 pcs



ST S 5 ST Set

Ext. dimensions: **600x110x164 mm**
Volume: 5.3 l

No. per pallet: 110 pcs
No. per pack: 1 pcs

STALA

Stala Box ST


The Stala Box is made of scratch-resistant, transparent polystyrene and is available in six sizes. It forms the basis of the Stala Set and can easily be tilted forwards or removed completely.



Tip

We recommend that you also take a look at the following section Stala rack systems, which leaves almost nothing to be desired where optimal space utilisation is concerned.

Special types

All non-stock items are marked thus  and available on request.





ST B 9 ST Box	
Ext. dimensions:	50x42x46 mm
Volume:	0.1 l
Weight:	30 g
Material:	PS
No. per pack:	6 pcs



ST B 4 ST Box	
Ext. dimensions:	128x128x133 mm
Volume:	2.1 l
Weight:	250 g
Material:	PS
No. per pack:	8 pcs



ST ET 9 Label for ST B	
Ext. dimensions:	35x10 mm
Material:	Paper
No. per pack:	90 pcs



ST ET 4 Label for ST B	
Ext. dimensions:	80x28 mm
Material:	Paper
No. per pack:	40 pcs



ST B 6 ST Box	
Ext. dimensions:	80x63x70 mm
Volume:	0.4 l
Weight:	70 g
Material:	PS
No. per pack:	10 pcs



ST B 3 ST Box	
Ext. dimensions:	175x140x160 mm
Volume:	4.2 l
Weight:	480 g
Material:	PS
No. per pack:	3 pcs



ST ET 6 Label for ST B	
Ext. dimensions:	52x15 mm
Material:	Paper
No. per pack:	60 pcs



ST ET 3 Label for ST B	
Ext. dimensions:	122x32 mm
Material:	Paper
No. per pack:	30 pcs



ST B 5 ST Box	
Ext. dimensions:	100x97x108 mm
Volume:	1.1 l
Weight:	140 g
Material:	PS
No. per pack:	18 pcs



ST B 2 ST Box	
Ext. dimensions:	268x220x243 mm
Volume:	14.0 l
Weight:	1520 g
Material:	PS
No. per pack:	2 pcs



ST ET 5 Label for ST B	
Ext. dimensions:	80x22 mm
Material:	Paper
No. per pack:	50 pcs



ST ET 2 Label for ST B	
Ext. dimensions:	123x48 mm
Material:	Paper
No. per pack:	20 pcs



ST SC 6 Scanner plate for ST S

Ext. dimensions:	92x18 mm
Material:	PVC-U
No. per pack:	10 pcs



ST SC 4 Scanner plate for ST S

Ext. dimensions:	137x30 mm
Material:	PVC-U
No. per pack:	10 pcs



ST TRP Transport safety bracket

Material:	Metal
suitable for ST S 3-6	



ST SC 5 Scanner plate for ST S

Ext. dimensions:	108x30 mm
Material:	PVC-U
No. per pack:	10 pcs



ST SC 2/3 Scanner plate for ST S

Ext. dimensions:	190x42 mm
Material:	PVC-U
No. per pack:	10 pcs



ST TRP Transport safety bracket

Material:	Metal
suitable for ST S 9	



ST ET label



ST SC scanner plate



ST TRP safety bracked
(prevents the boxes from opening)

STALA

Stala Complett ST

Stala Complett is a rack system suitable for wall mounting that is available in three sizes. The individual Stala Sets are already screw-mounted on the white-coated wooden panel.



Delivery

This item is delivered assembled.

Additional combinations

The following product images are just a few of the multitude of possible combinations. We will gladly advise you on the best solution for your requirement.

Available sizes


Basic dimensions (LxH in mm)

600x410

600x684

600x960

Special types

All non-stock items are marked thus  and available on request.





ST C 18 Rack ST Complet
Ext. dimensions: **600x108x410 mm**

fitted with
3 ST S 6



ST C 30 Rack ST Complet
Ext. dimensions: **600x108x410 mm**

fitted with
2 ST S 9, 2 ST S 6



ST C 33 Rack ST Complet
Ext. dimensions: **600x185x684 mm**

fitted with
1 ST S 4, 1 ST S 5, 1 ST S 6, 2 ST S 9



ST C 44 Rack ST Complet
Ext. dimensions: **600x185x960 mm**

fitted with
1 ST S 4, 2 ST S 5, 2 ST S 6, 2 ST S 9

STALA

Stala Flexi ST

Stala Flexi is a rack system suitable for wall mounting that is available in two sizes. The Stala Set is attached with screws to the grey (RAL 7035) coated basic frame (steel sheet frame with holes).



Delivery

This item is delivered unassembled for transport reasons. The incidentals are enclosed with the basic frame.

Additional combinations

The following product images are just a few of the multitude of possible combinations. We will gladly advise you on the best solution for your requirement.


Available sizes

Basic dimensions (LxH in mm)

600x730

600x1080

Special types

All non-stock items are marked thus  and available on request.





ST F 31 Rack ST Flexi

Ext. dimensions: **601x163x730 mm**

fitted with
1 ST S 9, 2 ST S 6, 2 ST S 5



ST F 54 Rack ST Flexi

Ext. dimensions: **601x121x730 mm**

fitted with
4 ST S 9, 3 ST S 6



ST F 38 Rack ST Flexi

Ext. dimensions: **601x163x1080 mm**

fitted with
3 ST S 6, 4 ST S 5



ST F 51 Rack ST Flexi

Ext. dimensions: **601x163x1080 mm**

fitted with
2 ST S 9, 3 ST S 6, 3 ST S 5



ST F 650 Basic frame ST Flexi

Ext. dimensions: **601x30x730 mm**



ST F 1000 Basic frame ST Flexi

Ext. dimensions: **601x30x1080 mm**

STALA

Stala Top ST

The Stala Top is a free-standing rack system that is available in two designs. It can be filled either from one side or both sides. The individual Stala Sets are attached by screws to the grey (RAL 7035) coated basic frame made of steel sheet.



Delivery

This item is delivered unassembled for transport reasons. The incidentals are enclosed with the basic frame.

Additional combinations


The following product images are just a few of the multitude of possible combinations. We will gladly advise you on the best solution for your requirement.

Available sizes

Basic dimensions (LxH in mm)

600×1900

Special types

All non-stock items are marked thus  and available on request.





ST TE 37 Rack ST Top
Ext. dimensions: **600x330x1900 mm**
fitted with 2 ST S 6, 1 ST S 5,
3 STS 4, 2 ST S 3, 1 ST S 2



ST TE 89 Rack ST Top
Ext. dimensions: **600x330x1900 mm**
fitted with
4 ST S 5, 10 ST S 6, 1 ST S 9



ST TD 74 Rack ST Top
Ext. dimensions: **600x620x1900 mm**
fitted with 4 ST S 6, 2 ST S 5,
6 ST S 4, 4 ST S 3, 2 ST S 2



ST TD 124 Rack ST Top
Ext. dimensions: **600x620x1900 mm**
fitted with
20 ST S 5, 4 ST S 6



ST TE 1900 Basic frame ST TE
Ext. dimensions: **600x330x1900 mm**
single-sided



ST TD 1900 Basic frame ST TD
Ext. dimensions: **600x620x1900 mm**
double-sided

STALA

Stala Mobil ST

Stala Mobil is a mobile rack system with four rubber wheels. The individual Stala Sets are screwed to the grey (RAL 7035) counted basic steel sheet rack.



Delivery

This item is delivered unassembled for transport reasons. The incidentals are enclosed with the basic frame.

Additional combinations


The following product images are just a few of the multitude of possible combinations. We will gladly advise you on the best solution for your requirement.

Available sizes

Basic dimensions (LxH in mm)

600x1390

Special types

All non-stock items are marked thus  and available on request.





ST M 70 Rack ST Mobil

Ext. dimensions: **600x620x1390 mm**

fitted with
14 ST S 5



ST M 106 Rack ST Mobil

Ext. dimensions: **600x620x1390 mm**

fitted with
2 ST S 9, 8 ST S 6, 8 ST S 5



ST M 84 Rack ST Mobil

Ext. dimensions: **600x620x1390 mm**

fitted with
8 ST S 6, 4 ST S 5, 4 ST S 4



ST M 52 Rack ST Mobil

Ext. dimensions: **600x620x1390 mm**

fitted with 4 ST S 6, 2 ST S 5,
2 ST S 4, 2 ST S 3, 2 ST S 2



Stala Mobil Basic frame ST Mobil

Ext. dimensions: **600x620x1390 mm**

2 castors & 2 fixed castors Ø125 mm

STALA

Stala Perfect ST

Stala Perfect consists of a grey (RAL 7035) or blue (RAL 5010) coated steel sheet housing that can be individually equipped with Stala Sets.



Delivery

This item is delivered completely assembled.

Additional combinations

The following product images are just a few of the multitude of possible combinations. We will gladly advise you on the best solution for your requirement.

Available sizes


Basic dimensions (LxH in mm)

665x910

665x2000

1270x2000

Special types

All non-stock items are marked thus  and available on request.





ST P 16 Rack ST Perfect
Ext. dimensions: **665x250x910 mm**

fitted with
4 ST S 4



ST P 25 Rack ST Perfect
Ext. dimensions: **665x250x910 mm**

fitted with
1 ST S 4, 3 ST S 5, 1 ST S 6



ST P 25/5 Rack ST Perfect
Ext. dimensions: **665x250x910 mm**

fitted with
5 ST S 5



ST P 33 Rack ST Perfect
Ext. dimensions: **665x250x910 mm**

fitted with
3 ST S 5, 3 ST S 6



ST P 42 Rack ST Perfect
Ext. dimensions: **665x250x910 mm**

fitted with
7 ST S 6



ST P 69/M Rack ST Perfect
Ext. dimensions: **665x250x910 mm**

fitted with
4 ST S 6, 5 ST S 9



ST P 43 Rack ST Perfect
Ext. dimensions: **665x250x2000 mm**

fitted with
5 ST S 5, 3 ST S 4, 2 ST S 3



ST P 61 Rack ST Perfect
Ext. dimensions: **665x250x2000 mm**

fitted with
4 ST S 6, 5 ST S 5, 3 ST S 4

**ST P 69** Rack ST PerfectExt. dimensions: **665x250x2000 mm**

fitted with

4 ST S 6, 9 ST S 5

**ST P 86** Rack ST PerfectExt. dimensions: **1270x250x2000 mm**

fitted with

10 ST S 5, 6 ST S 4, 4 ST S 3

**ST P 154** Rack ST PerfectExt. dimensions: **1270x250x2000 mm**

fitted with

16 ST S 6, 10 ST S 5, 2 ST S 4

**ST P 204** Rack ST PerfectExt. dimensions: **1270x250x2000 mm**

fitted with

34 ST S 6

STALA

Stala Shopconcept ST

With the Shopconcept Stala demonstrates its real potential! The Stala Shopconcept offers simple and pleasing cabinet variations as well as complex and very sophisticated solutions for storage facilities and office equipment.



Well thought-out solutions offering functionality and openness make it easier for the user to see the selection available and quickly access the required products. The large number of cabinet variations and special customised versions mean the storage system can be expanded at will.


Delivery


Delivery and assembly on request.

Additional combinations

The following product images are just a few of the multitude of possible combinations. We will gladly advise you on the best solution for your requirement.

Special types

All non-stock items are marked thus  and available on request.





FS CH 146 Rack ST Shopconcept
Ext. dimensions: **1280x500x2050 mm**
with 6 shelves

fitted with
16 ST S 6, 10 ST S 5



FS CHT 296 Rack ST Shopconcept
Ext. dimensions: **2446x520x1855 mm**
with 3 shelves

fitted with
16 ST S 5, 36 ST S 6



FS CH E 120 Rack ST Shopconcept
Ext. dimensions: **1280x400x1270 mm**
with 4 shelves

fitted with
20 ST S 6



SE 80 Rack ST Shopconcept
Ext. dimensions: **1240x200x1330 mm**

fitted with
4 ST S 6, 8 ST S 5, 4 ST S 4






SH 80 Rack ST Shopconcept
Ext. dimensions: **640x250x2050 mm**

fitted with
10 ST S 6, 4 ST S 5



SH 240 Rack ST Shopconcept
Ext. dimensions: **1840x250x2050 mm**

fitted with
30 ST S 6, 12 ST S 5



SH 160 Rack ST Shopconcept
Ext. dimensions: **1240x250x2050 mm**


fitted with
20 ST S 6, 8 ST S 5



SR E 729 Rack ST Shopconcept
Ext. dimensions: **1920x600x2050 mm**
with 6 slides

fitted with
94 ST S 6, 33 ST S 5





LAGERBOX


The Lagerbox range is the universal solution for the storage of small parts. The very stable and straightforward construction of the rack boxes facilitates operating procedures, offers a large volume and is stackable. The corrugated base means it is child’s play to remove even the smallest parts and in addition dividers and labels ensure that one has an even better overview. Practical storage magazines and shelving units that can be equipped individually round off the Lagerbox range.









Available sizes: Lagerbox rack boxes

Length (mm)	Width (mm)	Height (mm)
300	91	81
300	183	81
400	91	81
400	183	81
400	235	145
500	91	81
500	183	81
500	235	145

Special types

All non-stock items are marked thus  and available on request.





Lagerbox magazines and racks simplify keeping things neat and tidy. Equipping can be carried out individually and exactly to your specific requirements, whereby the best possible space utilisation is guaranteed.

Lagerbox storage magazine

Basic frame

- steel sheet housing
- without boxes
- free-standing rack
- rack boxes for insertion




Lagerbox Combine

Basic frame

- 2 side parts
- 2 diagonal struts
- 2 span locks
- 4 clamping feet
- 4 plastic covers
- including incidentals
- without shelves and boxes
- free-standing shelving rack
- rack boxes and open-fronted storage boxes for insertion

(Figure: basic frame, see section Stand)



Standard colours rack boxes (slight colour differences possible)




Colour code 24

Blue RAL 5015




Colour code 61

Red RAL 3020




Colour code 61

Green Pantone 348C



Colour code 99150

Iron grey RAL 7011



Colour code 00

Transparent SAN

LAGERBOX

Rack boxes LB


The Lagerbox rack box forms the basis of the Lagerbox range and is dimensionally stable and robust. The ergonomic recessed grips facilitate holding and stocking, while the rectangular sides and smooth surfaces allow space to be utilised optimally. And the corrugated base makes it very easy to remove even the smallest parts.



Tip

We recommend that you also take a look at the section Lagerbox Combine and Stand, which leaves almost nothing to be desired where optimal space utilisation is concerned.

Special types

All non-stock items are marked thus  and available on request.




LB 300 E Rack box LB

 Ext. dimensions: **300x91x81 mm**

Int. dimensions: 268x80x70 mm

Volume: 1.5 l

Material: PP

No. per pack: 30 pcs


LB 300 ETR Rack box LB

 Ext. dimensions: **300x91x81 mm**

Int. dimensions: 268x80x70 mm

Volume: 1.5 l

Material: SAN

No. per pack: 30 pcs


LB 400 E Rack box LB

 Ext. dimensions: **400x91x81 mm**

Int. dimensions: 365x80x70 mm

Volume: 2.0 l

Material: PP

No. per pack: 30 pcs


LB 400 ETR Rack box LB

 Ext. dimensions: **400x91x81 mm**

Int. dimensions: 365x80x70 mm

Volume: 2.0 l

Material: SAN

No. per pack: 30 pcs


LB 300 D Rack box LB

 Ext. dimensions: **300x183x81 mm**

Int. dimensions: 267x170x70 mm

Volume: 3.2 l

Material: PP

No. per pack: 15 pcs


LB 300 DTR Rack box LB

 Ext. dimensions: **300x183x81 mm**

Int. dimensions: 267x170x70 mm

Volume: 3.2 l

Material: SAN

No. per pack: 15 pcs


LB 400 D Rack box LB

 Ext. dimensions: **400x183x81 mm**

Int. dimensions: 365x170x70 mm

Volume: 4.3 l

Material: PP

No. per pack: 15 pcs


LB 400 DTR Rack box LB

 Ext. dimensions: **400x183x81 mm**

Int. dimensions: 365x170x70 mm

Volume: 4.3 l

Material: SAN

No. per pack: 15 pcs


LB 400 B Rack box LB

 Ext. dimensions: **400x235x145 mm**

Int. dimensions: 355x207x134 mm

Volume: 9.8 l

Material: PP

No. per pack: 16 pcs


LB 400 BTR Rack box LB

 Ext. dimensions: **400x235x145 mm**

Int. dimensions: 355x207x134 mm

Volume: 9.8 l

Material: SAN

No. per pack: 16 pcs



LB 500 E Rack box LB	
Ext. dimensions:	500x91x81 mm
Int. dimensions:	465x80x70 mm
Volume:	2.6 l
Material:	PP
No. per pack:	30 pcs



LB 500 D Rack box LB	
Ext. dimensions:	500x183x81 mm
Int. dimensions:	465x170x70 mm
Volume:	5.5 l
Material:	PP
No. per pack:	15 pcs



LB 500 B Rack box LB	
Ext. dimensions:	500x235x145 mm
Int. dimensions:	455x207x134 mm
Volume:	12.6 l
Material:	PP
No. per pack:	9 pcs



LB 500 ETR Rack box LB	
Ext. dimensions:	500x91x81 mm
Int. dimensions:	465x80x70 mm
Volume:	2.6 l
Material:	SAN
No. per pack:	30 pcs



LB 500 DTR Rack box LB	
Ext. dimensions:	500x183x81 mm
Int. dimensions:	465x170x70 mm
Volume:	5.5 l
Material:	SAN
No. per pack:	15 pcs



LB 500 BTR Rack box LB	
Ext. dimensions:	500x235x145 mm
Int. dimensions:	455x207x134 mm
Volume:	12.6 l
Material:	SAN
No. per pack:	9 pcs



LB ET E Label for LB	
Ext. dimensions:	69x44 mm
Material:	Paper
No. per pack:	100 pcs



LB ET D Label for LB	
Ext. dimensions:	159x44 mm
Material:	Paper
No. per pack:	100 pcs



LB ET B Label for LB	
Ext. dimensions:	193x44 mm
Material:	Paper
No. per pack:	100 pcs



LB TW E Divider for LB	
Ext. dimensions:	78x70 mm
Material:	SAN
No. per pack:	10 pcs



LB TW D Divider for LB	
Ext. dimensions:	170x70 mm
Material:	SAN
No. per pack:	10 pcs



LB TW B Divider for LB	
Ext. dimensions:	215x133 mm
Material:	SAN
No. per pack:	10 pcs



LB AS Pull-out stop for LB	
Ext. dimensions:	69x64 mm
Material:	ABS
No. per pack:	10 pcs



LB ET label



LB TW divider



LB TW divider and LB ET label



LB AS pull-out stop
(prevents the Lagerbox slipping out of the rack)

LAGERBOX

Storage magazine LB

The Lagerbox storage magazine consists of a grey (RAL 7035) lacquered steel sheet housing and is available in three sizes. The storage magazine is equipped with Lagerbox rack boxes that satisfy your specific requirements. The storage magazine is free-standing but can also be mounted on a wall.



Delivery

This item is delivered completely assembled.

Available sizes

Basic dimensions (LxDxH in mm)
376×300×400
376×400×400
600×417×862

Tip

The following product images are just a few of the multi-farious possible combinations. We will gladly advise you on the best solution for your requirement.





LB M 3/16 Storage magazine LB

Ext. dimensions: **376x300x400 mm**

fitted with 16 LB 300 E



LB M 4/16 Storage magazine LB

Ext. dimensions: **376x400x400 mm**

fitted with 16 LB 400 E



LB M 3/8 Storage magazine LB

Ext. dimensions: **376x300x400 mm**

fitted with 8 LB 300 D



LB M 4/8 Storage magazine LB

Ext. dimensions: **376x400x400 mm**

fitted with 8 LB 400 D



LB M 3 Basic frame LB

Ext. dimensions: **376x300x400 mm**

assembly of LB 300 E/D



LB M 4 Basic frame LB

Ext. dimensions: **376x400x400 mm**

assembly of LB 400 E/D



LB MG 4/48 Storage magazine LB

Ext. dimensions: **600x417x862 mm**

also available with castors

fitted with 48 LB 400E



LB MG 4/24 Storage magazine LB

Ext. dimensions: **600x417x862 mm**

also available with castors

fitted with 24 LB 400 D



LB MG 4 Basic frame LB

Ext. dimensions: **600x417x862 mm**

also available with castors

assembly of LB 400 E/D




LAGERBOX

Lagerbox Combine LB

The Lagerbox Combine rack is a boltless shelving system that can be assembled quickly and simply. The side frames consist of grey (RAL 7035) lacquered steel sheet (see also Stand section). The design of the side frames coupled with the galvanised shelves creates a rack with the greatest possible stability and space utilisation.



Basic and additional frame see section Stand



Equipping

The racks can be used to house any of our Classicbox, Systembox or Futura open-fronted storage boxes as well as Lagerbox rack boxes. They can be extended using add-on sides as desired.

Delivery

This item is delivered unassembled for transport reasons. The incidentals are enclosed with the basic frame.


Available sizes

Basic dimensions (LxH in mm)	Depth (mm)		
1000x2000	300	400	500

Tip

The following product images are just a few of the multi-farious possible combinations. We will gladly advise you on the best solution for your requirement.





LB GR 3/150 Basic Shelf LB Combine

Ext. dimensions: **1000x300x2000 mm**
mit 16 shelves


fitted with
150 LB 300 E



LB GR 4/36 Basic Shelf LB Combine

Ext. dimensions: **1000x400x2000 mm**
mit 10 shelves


fitted with
36 LB 400 B



LB GR 3/75 Basic Shelf LB Combine

Ext. dimensions: **1000x300x2000 mm**
mit 16 shelves


fitted with
75 LB 300 D



LB GR 4/110 Basic Shelf LB Combine

Ext. dimensions: **1000x400x2000 mm**
mit 16 shelves


fitted with
70 LB 400 E, 40 LB 400 D



LB GR 5/150 Basic Shelf LB Combine

Ext. dimensions: **1000x500x2000 mm**
mit 16 shelves

fitted with
150 LB 500 E



LB GR 5/75 Basic Shelf LB Combine

Ext. dimensions: **1000x500x2000 mm**
mit 16 shelves

fitted with
75 LB 500 D