



MULTIplus

A strong duo for
SCHULTE shelving systems.



↑
MULTIplus
shelf



↑
MULTIplus
T-Profile

25 mm grid perforation
The perforation of the
MULTIplus T-profiles in a
25 mm grid guarantees
optimum utilisation of
storage capacity.


The perforations of the **MULTIplus** T-profiles in the SCHULTE plug-in system have a 25 mm grid. In combination with the **MULTIplus85** and **MULTIplus150** shelves, which have an edge height of 25 mm, this results in unique flexibility in terms of height adjustability and storage capacity utilisation.

MULTIplus T-Profiles and shelves

The SCHULTE MULTIplus plug-in shelving system enables fast assembly. It can also be easily converted or adapted to changing requirements at any time. All system accessories are modular and compatible with each other.


In addition to single and double shelving, the system can also be used to realise multi-storey shelving systems.

MULTIplus shelves




MULTIplus shelves from SCHULTE are available with edge heights of 25 mm and 40 mm. In combination with the 25 mm grid of the T-profiles, our shelves with the 25 mm edge height offer the possibility of optimum utilisation of the storage space. The load capacity of the shelves can be immediately recognised by the punching in the front edges.

MULTIplus shelves are available in different widths and in a variety of depths. This enables effective customisation to the available storage space and the stored goods. SCHULTE offers four different shelf types with a load capacity of 85 to 330 kg to meet a wide range of shelf load requirements.



→
Accessories
MULTIplus shelves
p._104



→
Accessories
MULTIplus T-Profiles
p._106

MULTIplus shelf 25 mm



MULTIplus 85
 shelf load capacity
 85 KG



MULTIplus 150
 shelf load capacity
 150 KG

Bestseller

MULTIplus shelf 40 mm




MULTIplus 250
 shelf load capacity
 250 kg



MULTIplus 330
 shelf load capacity
 330 kg

MULTIplus – the system with the strong advantages

1 MULTIplus shelves



06 Additional bracing through material doubling at the supporting edges and easy to plug into the shelf supports

07 Maximum stability by extending the box profile right into the corners

01 Environmentally friendly connection technology: Clinching instead of welding

02 Optimised box shape increases the load capacity per shelf by up to 25%

03 Perforation system for easy attachment of accessories such as plug-in dividers or plug-in wire mesh panels.
Distance of the system perforation: 50mm

04 Transport safety by stacking cams


05 High stability through the triple fold of the material in downwards direction



Shelf dimensions mm
Widths 750 / 1,000 / 1,300
Heights 25 / 40
Depths 300 / 400 / 500 / 600 / 800 / 1,000

2

MULTIplus T-profiles



5 years
warranty
Shelving
system

10 years
warranty
Availability



01

Meets the highest requirements for manufacturing tolerances, in particular parallelism, crowning and freedom from torsion

02

Optimal use of space through 25 mm grid perforation and 25 mm edge height of the shelves

03

Butterfly perforation for mounting the depth ledgers

04

High loads due to optimised box shape with tight radii

05

System perforation with height markings for easy connection of the system components

06

Maximum stability through flanged web with additional beading and 2 material thicknesses

MULTIplus T-profiles are available in 5 colours



galvanised



RAL 7035
light grey



RAL 5010
gentian blue



RAL 3000
fire red




structure
black

Storage optimisation with the MULTiplus system

1

Increase storage capacity – more storage levels with same shelf height



→ More space thanks to MULTiplus 25 mm shelves

The coordination between the perforation of the MULTiplus T-profiles in a 25 mm grid and the 25 mm edge height of the shelves enables optimum adaptation to the goods to be stored.

25 storage levels → 95 pieces
with 3,750 mm shelf height stored goods

30 storage levels → 125 pieces
with 3,750 mm shelf height stored goods

Your benefits


- + Optimum adaptation to the stored goods
- + Space saving thanks to maximum utilisation of the shelf volume

2

Ergonomic gripping height – lower shelf height with the same number of levels

Shelf 40 mm

Shelf 25 mm



→ Ergonomic gain thanks to MULTIplus 25 mm shelves

The low 25 mm edge makes for significantly more ergonomic handling during order picking. You can use more levels per bay than with comparable higher edge heights and achieve a lower positioning of the shelves.

2.000 mm height with 8 storage levels

1.800 mm height with 8 storage levels

Your benefits

- + Ergonomic operability during order picking
- + More efficiency and time savings



Shelf 40 mm shelf load up to 330 kg

p._105



Shelf 25 mm shelf load up to 150 kg

p._105

Planning and assembly expertise

Planning and analysis - Maximum storage capacity



Our storage planning begins with a detailed **analysis** of your requirements and on-site conditions. We take your individual needs into account - this enables us to identify bottlenecks and potential for improvement. We help you select and configure the right shelving system to maximise the capacity of your warehouse.

We ensure that warehouse processes run smoothly and that your employees can work efficiently. Our experienced warehouse experts support you from the initial idea to the creation of a **CAD visualisation** and develop a customised **warehouse and logistics concept** that is tailored to your industry-specific requirements.

Your benefits

- + Analyse your storage potential
- + Time and cost savings and minimisation of the error rate through logistically optimised warehouse concept

SCHULTE's experience and expertise are not only in demand during the planning phase: equally important to us is the professional realisation of your project by our installation professionals.

Professional installation – Safety and efficiency



Working hand in hand with our shelving planners, our assembly specialists ensure that everything runs **quickly, safely and smoothly** on the way to your carefully planned warehouse. They know the shelving systems inside out and know exactly how to assemble them professionally.

This gives you the certainty that all **safety criteria** are met. The people handling your stored goods must be protected from accidents and the valuable stored goods from damage. Professional storage installation is the most important prerequisite for a safe warehouse.

Your benefits

- + Storage can be used quickly and safely
- + Avoidance of assembly errors
- + More storage safety
- + Fulfilment of insurance claims

Shelving systems

→ single-sided use,
bracing with cross brace



5
days
ex stock

5
years
warranty
Shelving
system

10
years
warranty
Availability



Shelf dimensions mm

Widths 750 / 1,000 / 1,300

Heights 1,800 / 2,000 / 2,300 / 2,500 / 3,000 / 4,000 / 4,500 / 5,000 / 6,000 / 7,000 / 7,500

Depths 300 / 400 / 500 / 600 / 800 / 1,000

Planning

The specified load capacities apply for evenly distributed loads per shelf.

All complete shelving units include cross braces, cover caps and clamping feet.

If you require pre-assembled frames, these are riveted at the factory up to 2,500 mm high and 600 mm deep for an extra charge. → [page 108](#)

Safety

Shelving with a height/depth ratio greater than 5:1 must be secured against tipping in accordance with the DGUV (German statutory accident insurance association) regulation 208-061.

Example:

A shelf unit with a depth of 300 mm and a height of 2,000 mm must be secured by wall, foot or head bracing (see fixing accessories). → [page 115](#)

Assembly measurements

Starter shelving:
Nominal length + 60 mm

Extension shelving:
Nominal length + 6 mm

Total frame depth:
Nominal depth + 36 mm

Buckling length:
All order proposals are statically designed for a maximum buckling length of 600 mm. Larger buckling lengths are possible on request.



Bracing with cross brace
Ideal for single-sided use, easy to align using turnbuckles.



25 mm grid perforation
The perforation of **MULTIplus** T-profiles in a 25 mm grid guarantees an optimal storage capacity utilisation.

Product features

- + Bracing with cross brace
- + simple alignment of the rack using turnbuckles on the cross braces
- + Ideal for constructing rows of shelving in front of walls and as back-to-back double shelving
- + Faster assembly thanks to simple plug-in system for the shelves
- + Height of the shelves can be adjusted in increments of 25 mm
- + Increasing the Bay load possible, due to additional side elements
- + Individual adaptation to spatial conditions and to the stored items with three shelf widths
- + Economically priced bracing variations

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems

MULTIplus85

Cross brace



Shelf width 1,000 mm – shelf load 85 kg												
		Depth mm		300		400		500		600		
		Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving
Frames / shelves galvanised	2,000	1.3 t	5	13130	13135	13140	13145	13150	13155	13160	13165	
	2,500	1.7 t	6	13131	13136	13141	13146	13151	13156	13161	13166	
	3,000	2.3 t	7	13132	13137	13142	13147	13152	13157	13162	13167	
	Additional shelf with 4 shelf supports				11333-B	11333-B	11344-B	11344-B	11355-B	11355-B	11366-B	11366-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	33030	33035	33040	33045	33050	33055	33060	33065	
	2,500	1.7 t	6	33031	33036	33041	33046	33051	33056	33061	33066	
	3,000	2.3 t	7	33032	33037	33042	33047	33052	33057	33062	33067	
	Additional shelf with 4 shelf supports				31330-B	31330-B	31340-B	31340-B	31350-B	31350-B	31360-B	31360-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	13130-B	13135-B	13140-B	13145-B	13150-B	13155-B	13160-B	13165-B	
	2,500	1.7 t	6	13131-B	13136-B	13141-B	13146-B	13151-B	13156-B	13161-B	13166-B	
	3,000	2.3 t	7	13132-B	13137-B	13142-B	13147-B	13152-B	13157-B	13162-B	13167-B	
	Additional shelf with 4 shelf supports				11333-B	11333-B	11344-B	11344-B	11355-B	11355-B	11366-B	11366-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.



MULTIplus150

Cross brace

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems

Shelf width 750 mm – shelf load 150 kg													
Depth mm				300		400		500		600		800	
Height mm	Bay load max. tons	Shelves		Starter-shelving	Extension-shelving								
Frames / shelves galvanised	2,000	1.3 t	5	12730-75	12735-75	12740-75	12745-75	12750-75	12755-75	12760-75	12765-75	12780-75	12785-75
	2,500	1.7 t	6	12731-75	12736-75	12741-75	12746-75	12751-75	12756-75	12761-75	12766-75	12781-75	12786-75
	3,000	2.3 t	7	12732-75	12737-75	12742-75	12747-75	12752-75	12757-75	12762-75	12767-75	12782-75	12787-75
	Additional shelf with 4 shelf supports			17203-B	17203-B	17204-B	17204-B	17205-B	17205-B	17206-B	17206-B	17208-B	17208-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32630-75	32635-75	32640-75	32645-75	32650-75	32655-75	32660-75	32665-75	32680-75	32685-75
	2,500	1.7 t	6	32631-75	32636-75	32641-75	32646-75	32651-75	32656-75	32661-75	32666-75	32681-75	32686-75
	3,000	2.3 t	7	32632-75	32637-75	32642-75	32647-75	32652-75	32657-75	32662-75	32667-75	32682-75	32687-75
	Additional shelf with 4 shelf supports			37203-B	37203-B	37204-B	37204-B	37205-B	37205-B	37206-B	37206-B	37208-B	37208-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12730-75-B	12735-75-B	12740-75-B	12745-75-B	12750-75-B	12755-75-B	12760-75-B	12765-75-B	12780-75-B	12785-75-B
	2,500	1.7 t	6	12731-75-B	12736-75-B	12741-75-B	12746-75-B	12751-75-B	12756-75-B	12761-75-B	12766-75-B	12781-75-B	12786-75-B
	3,000	2.3 t	7	12732-75-B	12737-75-B	12742-75-B	12747-75-B	12752-75-B	12757-75-B	12762-75-B	12767-75-B	12782-75-B	12787-75-B
	Additional shelf with 4 shelf supports			17203-B	17203-B	17204-B	17204-B	17205-B	17205-B	17206-B	17206-B	17208-B	17208-B

Shelf width 1,000 mm – shelf load 150 kg													
Depth mm				300		400		500		600		800	
Frames / shelves galvanised	2,000	1.3 t	5	12730	12735	12740	12745	12750	12755	12760	12765	12580	12585
	2,500	1.7 t	6	12731	12736	12741	12746	12751	12756	12761	12766	12581	12586
	3,000	2.3 t	7	12732	12737	12742	12747	12752	12757	12762	12767	12582	12587
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B	17280-B	17280-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32630	32635	32640	32645	32650	32655	32660	32665	32680	32685
	2,500	1.7 t	6	32631	32636	32641	32646	32651	32656	32661	32666	32681	32686
	3,000	2.3 t	7	32632	32637	32642	32647	32652	32657	32662	32667	32682	32687
	Additional shelf with 4 shelf supports			37230-B	37230-B	37240-B	37240-B	37250-B	37250-B	37260-B	37260-B	37280-B	37280-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12630-B	12635-B	12640-B	12645-B	12650-B	12655-B	12660-B	12665-B	12580-B	12585-B
	2,500	1.7 t	6	12631-B	12636-B	12641-B	12646-B	12651-B	12656-B	12661-B	12666-B	12581-B	12586-B
	3,000	2.3 t	7	12732-B	12737-B	12742-B	12747-B	12752-B	12757-B	12762-B	12767-B	12582-B	12587-B
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B	17280-B	17280-B

Shelf width 1,300 mm – shelf load 150 kg													
Depth mm				300		400		500		600		800	
Frames / shelves galvanised	2,000	1.3 t	5	12730-130	12735-130	12740-130	12745-130	12750-130	12755-130	12760-130	12765-130	12780-130	12785-130
	2,500	1.7 t	6	12731-130	12736-130	12741-130	12746-130	12751-130	12756-130	12761-130	12766-130	12781-130	12786-130
	3,000	2.3 t	7	12732-130	12737-130	12742-130	12747-130	12752-130	12757-130	12762-130	12767-130	12782-130	12787-130
	Additional shelf with 4 shelf supports			17530-B	17530-B	17540-B	17540-B	17550-B	17550-B	17560-B	17560-B	17580-B	17580-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32630-130	32635-130	32640-130	32645-130	32650-130	32655-130	32660-130	32665-130	32680-130	32685-130
	2,500	1.7 t	6	32631-130	32636-130	32641-130	32646-130	32651-130	32656-130	32661-130	32666-130	32681-130	32686-130
	3,000	2.3 t	7	32632-130	32637-130	32642-130	32647-130	32652-130	32657-130	32662-130	32667-130	32682-130	32687-130
	Additional shelf with 4 shelf supports			37530-B	37530-B	37540-B	37540-B	37550-B	37550-B	37560-B	37560-B	37580-B	37580-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12730-130-B	12735-130-B	12740-130-B	12745-130-B	12750-130-B	12755-130-B	12760-130-B	12765-130-B	12780-130-B	12785-130-B
	2,500	1.7 t	6	12731-130-B	12736-130-B	12741-130-B	12746-130-B	12751-130-B	12756-130-B	12761-130-B	12766-130-B	12781-130-B	12786-130-B
	3,000	2.3 t	7	12732-130-B	12737-130-B	12742-130-B	12747-130-B	12752-130-B	12757-130-B	12762-130-B	12767-130-B	12782-130-B	12787-130-B
	Additional shelf with 4 shelf supports			17530-B	17530-B	17540-B	17540-B	17550-B	17550-B	17560-B	17560-B	17580-B	17580-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.



MULTIplus250

Cross brace

Shelf width 750 mm – shelf load 250 kg													
	Depth mm			300		400		500		600		800	
	Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving								
Frames / shelves galvanised	2,000	1.3 t	5	12930-75	12935-75	12940-75	12945-75	12950-75	12955-75	12960-75	12965-75	12980-75	12985-75
	2,500	1.7 t	6	12931-75	12936-75	12941-75	12946-75	12951-75	12956-75	12961-75	12966-75	12981-75	12986-75
	3,000	2.3 t	7	12932-75	12937-75	12942-75	12947-75	12952-75	12957-75	12962-75	12967-75	12982-75	12987-75
	Additional shelf with 4 shelf supports			17303-B	17303-B	17304-B	17304-B	17305-B	17305-B	17306-B	17306-B	17308-B	17308-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32830-75	32835-75	32840-75	32845-75	32850-75	32855-75	32860-75	32865-75	32880-75	32885-75
	2,500	1.7 t	6	32831-75	32836-75	32841-75	32846-75	32851-75	32856-75	32861-75	32866-75	32881-75	32886-75
	3,000	2.3 t	7	32832-75	32837-75	32842-75	32847-75	32852-75	32857-75	32862-75	32867-75	32882-75	32887-75
	Additional shelf with 4 shelf supports			37303-B	37303-B	37304-B	37304-B	37305-B	37305-B	37306-B	37306-B	37308-B	37308-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12930-75-B	12935-75-B	12940-75-B	12945-75-B	12950-75-B	12955-75-B	12960-75-B	12965-75-B	12980-75-B	12985-75-B
	2,500	1.7 t	6	12931-75-B	12936-75-B	12941-75-B	12946-75-B	12951-75-B	12956-75-B	12961-75-B	12966-75-B	12981-75-B	12986-75-B
	3,000	2.3 t	7	12932-75-B	12937-75-B	12942-75-B	12947-75-B	12952-75-B	12957-75-B	12962-75-B	12967-75-B	12982-75-B	12987-75-B
	Additional shelf with 4 shelf supports			17303-B	17303-B	17304-B	17304-B	17305-B	17305-B	17306-B	17306-B	17308-B	17308-B

Shelf width 1,000 mm – shelf load 250 kg													
	Depth mm			300		400		500		600		800	
	Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving								
Frames / shelves galvanised	2,000	1.3 t	5	12930	12935	12940	12945	12950	12955	12960	12965	12980	12985
	2,500	1.7 t	6	12931	12936	12941	12946	12951	12956	12961	12966	12981	12986
	3,000	2.3 t	7	12932	12937	12942	12947	12952	12957	12962	12967	12982	12987
	Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B	17380-B	17380-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32830	32835	32840	32845	32850	32855	32860	32865	32880	32885
	2,500	1.7 t	6	32831	32836	32841	32846	32851	32856	32861	32866	32881	32886
	3,000	2.3 t	7	32832	32837	32842	32847	32852	32857	32862	32867	32882	32887
	Additional shelf with 4 shelf supports			37330-B	37330-B	37340-B	37340-B	37350-B	37350-B	37360-B	37360-B	37380-B	37380-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12930-B	12935-B	12940-B	12945-B	12950-B	12955-B	12960-B	12965-B	12980-B	12985-B
	2,500	1.7 t	6	12931-B	12936-B	12941-B	12946-B	12951-B	12956-B	12961-B	12966-B	12981-B	12986-B
	3,000	2.3 t	7	12932-B	12937-B	12942-B	12947-B	12952-B	12957-B	12962-B	12967-B	12982-B	12987-B
	Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B	17380-B	17380-B

Shelf width 1,300 mm – shelf load 250 kg													
	Depth mm			300		400		500		600		800	
	Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving								
Frames / shelves galvanised	2,000	1.3 t	5	12930-130	12935-130	12940-130	12945-130	12950-130	12955-130	12960-130	12965-130	12980-130	12985-130
	2,500	1.7 t	6	12931-130	12936-130	12941-130	12946-130	12951-130	12956-130	12961-130	12966-130	12981-130	12986-130
	3,000	2.3 t	7	12932-130	12937-130	12942-130	12947-130	12952-130	12957-130	12962-130	12967-130	12982-130	12987-130
	Additional shelf with 4 shelf supports			17630-B	17630-B	17640-B	17640-B	17650-B	17650-B	17660-B	17660-B	17680-B	17680-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32830-130	32835-130	32840-130	32845-130	32850-130	32855-130	32860-130	32865-130	32880-130	32885-130
	2,500	1.7 t	6	32831-130	32836-130	32841-130	32846-130	32851-130	32856-130	32861-130	32866-130	32881-130	32886-130
	3,000	2.3 t	7	32832-130	32837-130	32842-130	32847-130	32852-130	32857-130	32862-130	32867-130	32882-130	32887-130
	Additional shelf with 4 shelf supports			37630-B	37630-B	37640-B	37640-B	37650-B	37650-B	37660-B	37660-B	37680-B	37680-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12930-130-B	12935-130-B	12940-130-B	12945-130-B	12950-130-B	12955-130-B	12960-130-B	12965-130-B	12980-130-B	12985-130-B
	2,500	1.7 t	6	12931-130-B	12936-130-B	12941-130-B	12946-130-B	12951-130-B	12956-130-B	12961-130-B	12966-130-B	12981-130-B	12986-130-B
	3,000	2.3 t	7	12932-130-B	12937-130-B	12942-130-B	12947-130-B	12952-130-B	12957-130-B	12962-130-B	12967-130-B	12982-130-B	12987-130-B
	Additional shelf with 4 shelf supports			17630-B	17630-B	17640-B	17640-B	17650-B	17650-B	17660-B	17660-B	17680-B	17680-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.

Plug-in shelving system
Shelving system Bolted system
Shelving systems Office and Archive
Wide-span shelving
Pallet racking
Cantilever racking
Shelving systems and mezzanine systems



MULTIplus330

Cross brace

Shelf width 1,000 mm – shelf load 330 kg														
Depth in mm			300		400		500		600		800			
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving										
Frames / shelves galvanised	2,000	2.1 t	5	13930	13935	13940	13945	13950	13955	13960	13965	13980	13985	
	2,500	2.3 t	6	13931	13936	13941	13946	13951	13956	13961	13966	13981	13986	
	3,000	2.3 t	7	13932	13937	13942	13947	13952	13957	13962	13967	13982	13987	
	Additional shelf with 4 shelf supports			17430-B	17430-B	17440-B	17440-B	17450-B	17450-B	17460-B	17460-B	17460-B	17480-B	17480-B
Frames / shelves RAL 7035 light grey	2,000	2.1 t	5	33830	33835	33840	33845	33850	33855	33860	33865	33880	33885	
	2,500	2.3 t	6	33831	33836	33841	33846	33851	33856	33861	33866	33881	33886	
	3,000	2.3 t	7	33832	33837	33842	33847	33852	33857	33862	33867	33882	33887	
	Additional shelf with 4 shelf supports			37430-B	37430-B	37440-B	37440-B	37450-B	37450-B	37460-B	37460-B	37460-B	37480-B	37480-B
Frame: RAL 5010 blue shelves: galvanised	2,000	2.1 t	5	13930-B	13935-B	13940-B	13945-B	13950-B	13955-B	13960-B	13965-B	13980-B	13985-B	
	2,500	2.3 t	6	13931-B	13936-B	13941-B	13946-B	13951-B	13956-B	13961-B	13966-B	13981-B	13986-B	
	3,000	2.3 t	7	13932-B	13937-B	13942-B	13947-B	13952-B	13957-B	13962-B	13967-B	13982-B	13987-B	
	Additional shelf with 4 shelf supports			17430-B	17430-B	17440-B	17440-B	17450-B	17450-B	17460-B	17460-B	17460-B	17480-B	17480-B

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive


Wide-span shelving

Pallet racking


Cantilever racking

Shelving systems and mezzanine systems

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.



In combination with the 25 mm grid of the T-profiles, our shelves with the 25 mm edge height offer the possibility of optimum utilisation of the storage space.



Shelving system

→ double-sided use,
bracing with face beams



5⁺ days ex stock

5 years warranty Shelving system

10 years warranty Availability

GS

RAL CERTIFIED

Shelf dimensions mm

Width 750 / 1,000 / 1,300

Heights 1,800 / 2,000 / 2,300 / 2,500 / 3,000 / 4,000 / 4,500 / 5,000 / 6,000 / 7,000 / 7,500

Depth 300 / 400 / 500 / 600 / 800 / 1,000

Planning

The specified load capacities apply for evenly distributed loads per shelf.

All complete shelving units include face beams, cover caps and clamping feet.

If you require pre-assembled frames, these are riveted at the factory up to 2,500 mm high and 600 mm deep for an extra charge. → [page 108](#)

Safety

Shelving with a height/depth ratio greater than 5:1 must be secured against tipping in accordance with the DGUV (German statutory accident insurance association) regulation 208-061.

Example:

A shelf unit with a depth of 300 mm and a height of 2,000 mm must be secured by wall, foot or head bracing (see fixing accessories). → [page 115](#)


Assembly measurements

Starter shelving:
Nominal length + 60 mm

Extension shelving:
Nominal length + 6 mm

Total frame depth:
Nominal depth + 36 mm

Buckling length:
All order proposals are statically designed for a maximum buckling length of 600 mm. Larger buckling lengths are possible on request.



Bracing with face beams

Assembly using face beams makes it possible to use the shelving from both sides..



25 mm grid perforation

The perforation of **MULTIplus** T-profiles in a 25 mm grid guarantees an optimal storage capacity utilisation.

Product features

- + Bracing with face beams
- + Loading and unloading of the stock items possible from both sides
- + Individual adaptation to spatial conditions and to the stored items with three shelf widths
- + Fast assembly thanks to simple plug-in system for the shelves
- + Height of the shelves can be adjusted in increments of 25 mm
- + Increasing the Bay load possible, due to additional side elements
- + Shorter picking routes due to usability on both sides

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems

MULTIplus85

Face beam



Shelf width 1,000 mm – shelf load 85 kg												
		Depth mm		300		400		500		600		
		Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving
Frames / shelves galvanised	2,000	1.3 t	5	13130-LR	13135-LR	13140-LR	13145-LR	13150-LR	13155-LR	13160-LR	13165-LR	
	2,500	1.7 t	6	13131-LR	13136-LR	13141-LR	13146-LR	13151-LR	13156-LR	13161-LR	13166-LR	
	3,000	2.3 t	7	13132-LR	13137-LR	13142-LR	13147-LR	13152-LR	13157-LR	13162-LR	13167-LR	
	Additional shelf with 4 shelf supports				11333-B	11333-B	11344-B	11344-B	11355-B	11355-B	11366-B	11366-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	33030-LR	33035-LR	33040-LR	33045-LR	33050-LR	33055-LR	33060-LR	33065-LR	
	2,500	1.7 t	6	33031-LR	33036-LR	33041-LR	33046-LR	33051-LR	33056-LR	33061-LR	33066-LR	
	3,000	2.3 t	7	33032-LR	33037-LR	33042-LR	33047-LR	33052-LR	33057-LR	33062-LR	33067-LR	
	Additional shelf with 4 shelf supports				31330-B	31330-B	31340-B	31340-B	31350-B	31350-B	31360-B	31360-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	13130-LR-B	13135-LR-B	13140-LR-B	13145-LR-B	13150-LR-B	13155-LR-B	13160-LR-B	13165-LR-B	
	2,500	1.7 t	6	13131-LR-B	13136-LR-B	13141-LR-B	13146-LR-B	13151-LR-B	13156-LR-B	13161-LR-B	13166-LR-B	
	3,000	2.3 t	7	13132-LR-B	13137-LR-B	13142-LR-B	13147-LR-B	13152-LR-B	13157-LR-B	13162-LR-B	13167-LR-B	
	Additional shelf with 4 shelf supports				11333-B	11333-B	11344-B	11344-B	11355-B	11355-B	11366-B	11366-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.

Plug-in shelving system

SCHULTE

Complete shelving units Double-sided use Face beam 25 mm edge



MULTIplus150

Face beam

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems

Shelf width 750 mm – shelf load 150 kg													
Depth mm				300		400		500		600		800	
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving									
Frames / shelves galvanised	2,000	1.3 t	5	12730-75-LR	12735-75-LR	12740-75-LR	12745-75-LR	12750-75-LR	12755-75-LR	12760-75-LR	12765-75-LR	12780-75-LR	12785-75-LR
	2,500	1.6 t	6	12731-75-LR	12736-75-LR	12741-75-LR	12746-75-LR	12751-75-LR	12756-75-LR	12761-75-LR	12766-75-LR	12781-75-LR	12786-75-LR
	3,000	1.6 t	7	12732-75-LR	12737-75-LR	12742-75-LR	12747-75-LR	12752-75-LR	12757-75-LR	12762-75-LR	12767-75-LR	12782-75-LR	12787-75-LR
	Additional shelf with 4 shelf supports			17203-B	17203-B	17204-B	17204-B	17205-B	17205-B	17206-B	17206-B	17208-B	17208-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32630-75-LR	32635-75-LR	32640-75-LR	32645-75-LR	32650-75-LR	32655-75-LR	32660-75-LR	32665-75-LR	32680-75-LR	32685-75-LR
	2,500	1.6 t	6	32631-75-LR	32636-75-LR	32641-75-LR	32646-75-LR	32651-75-LR	32656-75-LR	32661-75-LR	32666-75-LR	32681-75-LR	32686-75-LR
	3,000	1.6 t	7	32632-75-LR	32637-75-LR	32642-75-LR	32647-75-LR	32652-75-LR	32657-75-LR	32662-75-LR	32667-75-LR	32682-75-LR	32687-75-LR
	Additional shelf with 4 shelf supports			37203-B	37203-B	37204-B	37204-B	37205-B	37205-B	37206-B	37206-B	37208-B	37208-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12730-75-LR-B	12735-75-LR-B	12740-75-LR-B	12745-75-LR-B	12750-75-LR-B	12755-75-LR-B	12760-75-LR-B	12765-75-LR-B	12780-75-LR-B	12785-75-LR-B
	2,500	1.6 t	6	12731-75-LR-B	12736-75-LR-B	12741-75-LR-B	12746-75-LR-B	12751-75-LR-B	12756-75-LR-B	12761-75-LR-B	12766-75-LR-B	12781-75-LR-B	12786-75-LR-B
	3,000	1.6 t	7	12732-75-LR-B	12737-75-LR-B	12742-75-LR-B	12747-75-LR-B	12752-75-LR-B	12757-75-LR-B	12762-75-LR-B	12767-75-LR-B	12782-75-LR-B	12787-75-LR-B
	Additional shelf with 4 shelf supports			17203-B	17203-B	17204-B	17204-B	17205-B	17205-B	17206-B	17206-B	17208-B	17208-B

Shelf width 1,000 mm – shelf load 150 kg													
Depth mm				300		400		500		600		800	
Frames / shelves galvanised	2,000	1.3 t	5	12730-LR	12735-LR	12740-LR	12745-LR	12750-LR	12755-LR	12760-LR	12765-LR	12780-LR	12785-LR
	2,500	1.4 t	6	12731-LR	12736-LR	12741-LR	12746-LR	12751-LR	12756-LR	12761-LR	12766-LR	12781-LR	12786-LR
	3,000	1.5 t	7	12732-LR	12737-LR	12742-LR	12747-LR	12752-LR	12757-LR	12762-LR	12767-LR	12782-LR	12787-LR
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B	17280-B	17280-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32630-LR	32635-LR	32640-LR	32645-LR	32650-LR	32655-LR	32660-LR	32665-LR	32680-LR	32685-LR
	2,500	1.4 t	6	32631-LR	32636-LR	32641-LR	32646-LR	32651-LR	32656-LR	32661-LR	32666-LR	32681-LR	32686-LR
	3,000	1.5 t	7	32632-LR	32637-LR	32642-LR	32647-LR	32652-LR	32657-LR	32662-LR	32667-LR	32682-LR	32687-LR
	Additional shelf with 4 shelf supports			37230-B	37230-B	37240-B	37240-B	37250-B	37250-B	37260-B	37260-B	37280-B	37280-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12730-LR-B	12735-LR-B	12740-LR-B	12745-LR-B	12750-LR-B	12755-LR-B	12760-LR-B	12765-LR-B	12780-LR-B	12785-LR-B
	2,500	1.4 t	6	12731-LR-B	12736-LR-B	12741-LR-B	12746-LR-B	12751-LR-B	12756-LR-B	12761-LR-B	12766-LR-B	12781-LR-B	12786-LR-B
	3,000	1.5 t	7	12732-LR-B	12737-LR-B	12742-LR-B	12747-LR-B	12752-LR-B	12757-LR-B	12762-LR-B	12767-LR-B	12782-LR-B	12787-LR-B
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B	17280-B	17280-B

Shelf width 1,300 mm – shelf load 150 kg													
Depth mm				300		400		500		600		800	
Frames / shelves galvanised	2,000	1.3 t	5	12730-130-LR	12735-130-LR	12740-130-LR	12745-130-LR	12750-130-LR	12755-130-LR	12760-130-LR	12765-130-LR	12780-130-LR	12785-130-LR
	2,500	1.4 t	6	12731-130-LR	12736-130-LR	12741-130-LR	12746-130-LR	12751-130-LR	12756-130-LR	12761-130-LR	12766-130-LR	12781-130-LR	12786-130-LR
	3,000	1.5 t	7	12732-130-LR	12737-130-LR	12742-130-LR	12747-130-LR	12752-130-LR	12757-130-LR	12762-130-LR	12767-130-LR	12782-130-LR	12787-130-LR
	Additional shelf with 4 shelf supports			17530-B	17530-B	17540-B	17540-B	17550-B	17550-B	17560-B	17560-B	17580-B	17580-B
Frames / shelves RAL 7035 light grey	2,000	1.3 t	5	32630-130-LR	32635-130-LR	32640-130-LR	32645-130-LR	32650-130-LR	32655-130-LR	32660-130-LR	32665-130-LR	32680-130-LR	32685-130-LR
	2,500	1.4 t	6	32631-130-LR	32636-130-LR	32641-130-LR	32646-130-LR	32651-130-LR	32656-130-LR	32661-130-LR	32666-130-LR	32681-130-LR	32686-130-LR
	3,000	1.5 t	7	32632-130-LR	32637-130-LR	32642-130-LR	32647-130-LR	32652-130-LR	32657-130-LR	32662-130-LR	32667-130-LR	32682-130-LR	32687-130-LR
	Additional shelf with 4 shelf supports			37530-B	37530-B	37540-B	37540-B	37550-B	37550-B	37560-B	37560-B	37580-B	37580-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.3 t	5	12730-130-LR-B	12735-130-LR-B	12740-130-LR-B	12745-130-LR-B	12750-130-LR-B	12755-130-LR-B	12760-130-LR-B	12765-130-LR-B	12780-130-LR-B	12785-130-LR-B
	2,500	1.4 t	6	12731-130-LR-B	12736-130-LR-B	12741-130-LR-B	12746-130-LR-B	12751-130-LR-B	12756-130-LR-B	12761-130-LR-B	12766-130-LR-B	12781-130-LR-B	12786-130-LR-B
	3,000	1.5 t	7	12732-130-LR-B	12737-130-LR-B	12742-130-LR-B	12747-130-LR-B	12752-130-LR-B	12757-130-LR-B	12762-130-LR-B	12767-130-LR-B	12782-130-LR-B	12787-130-LR-B
	Additional shelf with 4 shelf supports			17530-B	17530-B	17540-B	17540-B	17550-B	17550-B	17560-B	17560-B	17580-B	17580-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.



MULTIplus250

Face beam

Shelf width 750 mm – shelf load 250 kg												
Depth mm			300		400		500		600		800	
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving								
			2,000	1.3 t	5	12930-75-LR	12935-75-LR	12940-75-LR	12945-75-LR	12950-75-LR	12955-75-LR	12960-75-LR
2,500	1.7 t	6	12931-75-LR	12936-75-LR	12941-75-LR	12946-75-LR	12951-75-LR	12956-75-LR	12961-75-LR	12966-75-LR	12981-75-LR	12986-75-LR
3,000	1.8 t	7	12932-75-LR	12937-75-LR	12942-75-LR	12947-75-LR	12952-75-LR	12957-75-LR	12962-75-LR	12967-75-LR	12982-75-LR	12987-75-LR
Additional shelf with 4 shelf supports			17303-B	17303-B	17304-B	17304-B	17305-B	17305-B	17306-B	17306-B	17308-B	17308-B
Frames / shelves galvanised												
Frames / shelves RAL 7035 light grey												
2,000	1.3 t	5	32830-75-LR	32835-75-LR	32840-75-LR	32845-75-LR	32850-75-LR	32855-75-LR	32860-75-LR	32865-75-LR	32880-75-LR	32885-75-LR
2,500	1.7 t	6	32831-75-LR	32836-75-LR	32841-75-LR	32846-75-LR	32851-75-LR	32856-75-LR	32861-75-LR	32866-75-LR	32881-75-LR	32886-75-LR
3,000	1.8 t	7	32832-75-LR	32837-75-LR	32842-75-LR	32847-75-LR	32852-75-LR	32857-75-LR	32862-75-LR	32867-75-LR	32882-75-LR	32887-75-LR
Additional shelf with 4 shelf supports			37303-B	37303-B	37304-B	37304-B	37305-B	37305-B	37306-B	37306-B	37308-B	37308-B
Frame: RAL 5010 blue shelves, galvanised												
2,000	1.3 t	5	12930-75-LR-B	12935-75-LR-B	12940-75-LR-B	12945-75-LR-B	12950-75-LR-B	12955-75-LR-B	12960-75-LR-B	12965-75-LR-B	12980-75-LR-B	12985-75-LR-B
2,500	1.7 t	6	12931-75-LR-B	12936-75-LR-B	12941-75-LR-B	12946-75-LR-B	12951-75-LR-B	12956-75-LR-B	12961-75-LR-B	12966-75-LR-B	12981-75-LR-B	12986-75-LR-B
3,000	1.8 t	7	12932-75-LR-B	12937-75-LR-B	12942-75-LR-B	12947-75-LR-B	12952-75-LR-B	12957-75-LR-B	12962-75-LR-B	12967-75-LR-B	12982-75-LR-B	12987-75-LR-B
Additional shelf with 4 shelf supports			17303-B	17303-B	17304-B	17304-B	17305-B	17305-B	17306-B	17306-B	17308-B	17308-B

Shelf width 1,000 mm – shelf load 250 kg												
Depth mm			300		400		500		600		800	
2,000	1.3 t	5	12930-LR	12935-LR	12940-LR	12945-LR	12950-LR	12955-LR	12960-LR	12965-LR	12980-LR	12985-LR
2,500	1.7 t	6	12931-LR	12936-LR	12941-LR	12946-LR	12951-LR	12956-LR	12961-LR	12966-LR	12981-LR	12986-LR
3,000	1.8 t	7	12932-LR	12937-LR	12942-LR	12947-LR	12952-LR	12957-LR	12962-LR	12967-LR	12982-LR	12987-LR
Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B	17380-B	17380-B
Frames / shelves galvanised												
Frames / shelves RAL 7035 light grey												
2,000	1.3 t	5	32830-LR	32835-LR	32840-LR	32845-LR	32850-LR	32855-LR	32860-LR	32865-LR	32880-LR	32885-LR
2,500	1.7 t	6	32831-LR	32836-LR	32841-LR	32846-LR	32851-LR	32856-LR	32861-LR	32866-LR	32881-LR	32886-LR
3,000	1.8 t	7	32832-LR	32837-LR	32842-LR	32847-LR	32852-LR	32857-LR	32862-LR	32867-LR	32882-LR	32887-LR
Additional shelf with 4 shelf supports			37330-B	37330-B	37340-B	37340-B	37350-B	37350-B	37360-B	37360-B	37380-B	37380-B
Frame: RAL 5010 blue shelves, galvanised												
2,000	1.3 t	5	12930-LR-B	12935-LR-B	12940-LR-B	12945-LR-B	12950-LR-B	12955-LR-B	12960-LR-B	12965-LR-B	12980-LR-B	12985-LR-B
2,500	1.7 t	6	12931-LR-B	12936-LR-B	12941-LR-B	12946-LR-B	12951-LR-B	12956-LR-B	12961-LR-B	12966-LR-B	12981-LR-B	12986-LR-B
3,000	1.8 t	7	12932-LR-B	12937-LR-B	12942-LR-B	12947-LR-B	12952-LR-B	12957-LR-B	12962-LR-B	12967-LR-B	12982-LR-B	12987-LR-B
Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B	17380-B	17380-B

Shelf width 1,300 mm – shelf load 250 kg												
Depth mm			300		400		500		600		800	
2,000	1.3 t	5	12930-130-LR	12935-130-LR	12940-130-LR	12945-130-LR	12950-130-LR	12955-130-LR	12960-130-LR	12965-130-LR	12980-130-LR	12985-130-LR
2,500	1.7 t	6	12931-130-LR	12936-130-LR	12941-130-LR	12946-130-LR	12951-130-LR	12956-130-LR	12961-130-LR	12966-130-LR	12981-130-LR	12986-130-LR
3,000	1.8 t	7	12932-130-LR	12937-130-LR	12942-130-LR	12947-130-LR	12952-130-LR	12957-130-LR	12962-130-LR	12967-130-LR	12982-130-LR	12987-130-LR
Additional shelf with 4 shelf supports			17630-B	17630-B	17640-B	17640-B	17650-B	17650-B	17660-B	17660-B	17680-B	17680-B
Frames / shelves galvanised												
Frames / shelves RAL 7035 light grey												
2,000	1.3 t	5	32830-130-LR	32835-130-LR	32840-130-LR	32845-130-LR	32850-130-LR	32855-130-LR	32860-130-LR	32865-130-LR	32880-130-LR	32885-130-LR
2,500	1.7 t	6	32831-130-LR	32836-130-LR	32841-130-LR	32846-130-LR	32851-130-LR	32856-130-LR	32861-130-LR	32866-130-LR	32881-130-LR	32886-130-LR
3,000	1.8 t	7	32832-130-LR	32837-130-LR	32842-130-LR	32847-130-LR	32852-130-LR	32857-130-LR	32862-130-LR	32867-130-LR	32882-130-LR	32887-130-LR
Additional shelf with 4 shelf supports			37630-B	37630-B	37640-B	37640-B	37650-B	37650-B	37660-B	37660-B	37680-B	37680-B
Frame: RAL 5010 blue shelves, galvanised												
2,000	1.3 t	5	12930-130-LR-B	12935-130-LR-B	12940-130-LR-B	12945-130-LR-B	12950-130-LR-B	12955-130-LR-B	12960-130-LR-B	12965-130-LR-B	12980-130-LR-B	12985-130-LR-B
2,500	1.7 t	6	12931-130-LR-B	12936-130-LR-B	12941-130-LR-B	12946-130-LR-B	12951-130-LR-B	12956-130-LR-B	12961-130-LR-B	12966-130-LR-B	12981-130-LR-B	12986-130-LR-B
3,000	1.8 t	7	12932-130-LR-B	12937-130-LR-B	12942-130-LR-B	12947-130-LR-B	12952-130-LR-B	12957-130-LR-B	12962-130-LR-B	12967-130-LR-B	12982-130-LR-B	12987-130-LR-B
Additional shelf with 4 shelf supports			17630-B	17630-B	17640-B	17640-B	17650-B	17650-B	17660-B	17660-B	17680-B	17680-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems



MULTIplus330

Face beam

Shelf width 1,000 mm – shelf load 330 kg													
Depth in mm			300		400		500		600		800		
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving									
Frames / shelves galvanised	2,000	1.6 t	5	13930-LR	13935-LR	13940-LR	13945-LR	13950-LR	13955-LR	13960-LR	13965-LR	13980-LR	13985-LR
	2,500	2.3 t	6	13931-LR	13936-LR	13941-LR	13946-LR	13951-LR	13956-LR	13961-LR	13966-LR	13981-LR	13986-LR
	3,000	2.3 t	7	13932-LR	13937-LR	13942-LR	13947-LR	13952-LR	13957-LR	13962-LR	13967-LR	13982-LR	13987-LR
	Additional shelf with 4 shelf supports			17430-B	17430-B	17440-B	17440-B	17450-B	17450-B	17460-B	17460-B	17480-B	17480-B
Frames / shelves RAL 7035 light grey	2,000	1.6 t	5	33830-LR	33835-LR	33840-LR	33845-LR	33850-LR	33855-LR	33860-LR	33865-LR	33880-LR	33885-LR
	2,500	2.3 t	6	33831-LR	33836-LR	33841-LR	33846-LR	33851-LR	33856-LR	33861-LR	33866-LR	33881-LR	33886-LR
	3,000	2.3 t	7	33832-LR	33837-LR	33842-LR	33847-LR	33852-LR	33857-LR	33862-LR	33867-LR	33882-LR	33887-LR
	Additional shelf with 4 shelf supports			37430-B	37430-B	37440-B	37440-B	37450-B	37450-B	37460-B	37460-B	37480-B	37480-B
Frame: RAL 5010 blue shelves: galvanised	2,000	1.6 t	5	13930-LR-B	13935-LR-B	13940-LR-B	13945-LR-B	13950-LR-B	13955-LR-B	13960-LR-B	13965-LR-B	13980-LR-B	13985-LR-B
	2,500	2.3 t	6	13931-LR-B	13936-LR-B	13941-LR-B	13946-LR-B	13951-LR-B	13956-LR-B	13961-LR-B	13966-LR-B	13981-LR-B	13986-LR-B
	3,000	2.3 t	7	13932-LR-B	13937-LR-B	13942-LR-B	13947-LR-B	13952-LR-B	13957-LR-B	13962-LR-B	13967-LR-B	13982-LR-B	13987-LR-B
	Additional shelf with 4 shelf supports			17430-B	17430-B	17440-B	17440-B	17450-B	17450-B	17460-B	17460-B	17480-B	17480-B

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.



MULTI-storey shelving systems utilise the fully room height. Employees can access the required items quickly via stairs and transfer stations.

Double shelving

→ double-sided use,
bracing with cross brace



5
days
ex stock

5
years
warranty
Shelving
system

10
years
warranty
Availability

GS
Sicherheits
Technik

RAL
GUTEZERTIFIKATION
EB
Eigenschaften
nach EN 12542
EN 12543

Shelf dimensions mm

Widths 750 / 1,000 / 1,300

Heights 1,800 / 2,000 / 2,300 / 2,500 / 3,000 /
4,000 / 4,500 / 5,000 / 6,000 / 7,000 / 7,500

Depths 2 x 300 / 2 x 400 / 2 x 500 /
2 x 600 / 2 x 800 / 2 x 1,000

Planning

The specified load capacities apply for evenly distributed loads per shelf.

All complete shelving units include cross braces, cover caps and clamping feet.

If you require pre-assembled frames, these are riveted at the factory up to 2,500 mm high and 600 mm deep for an extra charge. → [page 108](#)

Safety

Shelving with a height/depth ratio greater than 5:1 must be secured against tipping in accordance with the DGUV (German statutory accident insurance association) regulation 208-061.

Example:

A shelf unit with a depth of 300 mm and a height of 2,000 mm must be secured by wall, foot or head bracing (see fixing accessories). → [page 115](#)

Assembly measurements

Starter shelving:
Nominal length + 60 mm

Extension shelving:
Nominal length + 6 mm

Total frame depth:
Nominal depth + 36 mm x 2

Buckling length:
All order proposals are statically designed for a maximum buckling length of 600 mm. Larger buckling lengths are possible on request.



Product features

- + structurally connected with each other
- + Heights available from 1,800 to 7,500 mm
- + Back-to-back rows of shelving
- + Large storage volume in a small area
- + quick assembly by simply plugging in the shelves
- + Height of the shelves can be adjusted in increments of 25 mm
- + Possible to increase the bay load through additional side elements
- + Bracing with cross brace

Connecting the individual shelving

The cross braces are attached with a connection plate and the T-profiles are directly mounted to one another.



MULTIplus150

Cross brace

Shelf width 1,000 mm – Shelf load 150 kg											
Depth mm			2 x 300		2 x 400		2 x 500		2 x 600		
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Extension-shelving
Frames / shelves galvanised	2,000	2 x 1.4 t	2 x 5	13730	13735	13740	13745	13750	13755	13760	13765
	2,500	2 x 1.2 t	2 x 6	13731	13736	13741	13746	13751	13756	13761	13766
	3,000	2 x 1.5 t	2 x 7	13732	13737	13742	13747	13752	13757	13762	13767
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B
Frames / shelves RAL 7035 light grey	2,000	2 x 1.4 t	2 x 5	32730	32735	32740	32745	32750	32755	32760	32765
	2,500	2 x 1.2 t	2 x 6	32731	32736	32741	32746	32751	32756	32761	32766
	3,000	2 x 1.5 t	2 x 7	32732	32737	32742	32747	32752	32757	32762	32767
	Additional shelf with 4 shelf supports			37230-B	37230-B	37240-B	37240-B	37250-B	37250-B	37260-B	37260-B
Frame: RAL 5010 blue shelves: galvanised	2,000	2 x 1.4 t	2 x 5	32730-B	32735-B	32740-B	32745-B	32750-B	32755-B	32760-B	32765-B
	2,500	2 x 1.2 t	2 x 6	32731-B	32736-B	32741-B	32746-B	32751-B	32756-B	32761-B	32766-B
	3,000	2 x 1.5 t	2 x 7	32732-B	32737-B	32742-B	32747-B	32752-B	32757-B	32762-B	32767-B
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B

MULTIplus250

Shelf width 1,000 mm – Shelf load 250 kg											
Depth mm			2 x 300		2 x 400		2 x 500		2 x 600		
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Extension-shelving
Frames / shelves galvanised	2,000	2 x 1.4 t	2 x 5	14230-G	14235-A	14240-G	14245-A	14250-G	14255-A	14260-G	14265-A
	2,500	2 x 1.9 t	2 x 6	14231-G	14236-A	14241-G	14246-A	14251-G	14256-A	14261-G	14266-A
	3,000	2 x 1.8 t	2 x 7	14232-G	14237-A	14242-G	14247-A	14252-G	14257-A	14262-G	14267-A
	Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B
Frames / shelves RAL 7035 light grey	2,000	2 x 1.4 t	2 x 5	32130-G	32135-A	32140-G	32145-A	32150-G	32155-A	32160-G	32165-A
	2,500	2 x 1.9 t	2 x 6	32131-G	32136-A	32141-G	32146-A	32151-G	32156-A	32161-G	32166-A
	3,000	2 x 1.8 t	2 x 7	32132-G	32137-A	32142-G	32147-A	32152-G	32157-A	32162-G	32167-A
	Additional shelf with 4 shelf supports			37330-B	37330-B	37340-B	37340-B	37350-B	37350-B	37360-B	37360-B
Frame: RAL 5010 blue shelves: galvanised	2,000	2 x 1.4 t	2 x 5	32130-G-B	32135-A-B	32140-G-B	32145-A-B	32150-G-B	32155-A-B	32160-G-B	32165-A-B
	2,500	2 x 1.9 t	2 x 6	32131-G-B	32136-A-B	32141-G-B	32146-A-B	32151-G-B	32156-A-B	32161-G-B	32166-A-B
	3,000	2 x 1.8 t	2 x 7	32132-G-B	32137-A-B	32142-G-B	32147-A-B	32152-G-B	32157-A-B	32162-G-B	32167-A-B
	Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.

Doppelregale

→ beidseitig nutzbar,
Aussteifung durch Längenriegel



5 Tage
ab Lager

5 Jahre
Garantie
Fachboden-
regal

10 Jahre
Garantie
für
Nachkauf

GS
Gütezeichen
Spezial

RAL
GÜTEZEICHEN
EB
Lager- und
Anbauelemente
nach DIN

Regalmaße in mm

Breiten 750 / 1.000 / 1.300

Höhen 1.800 / 2.000 / 2.300 / 2.500 / 3.000 /
4.000 / 4.500 / 5.000 / 6.000 / 7.000 / 7.500

Tiefen 2 x 300 / 2 x 400 / 2 x 500 /
2 x 600 / 2 x 800 / 2 x 1.000

Planung

Die angegebenen Traglasten gelten für gleichmäßig verteilte Lasten je Regalboden.

Alle Komplettregale beinhalten Längenriegel, Abdeckkappen und KlemmfüÙe.

Wünschen Sie vormontierte Rahmen, werden diese bis 2.500 mm Höhe und 600 mm Tiefe gegen Mehrpreis werkseitig genietet. → **Seite 108**

Sicherheit

Regale mit einem Höhen-/Tiefenverhältnis größer 5:1 müssen gemäß DGUV Information 208-061 gegen Kippen gesichert werden.

Beispiel:

Ein Regal mit einer Tiefe von 300 mm und einer Höhe von 2.000 mm muss durch eine Wand-, Fußverankerung oder Kopfverbände gesichert werden. Befestigungszubehör → **Seite 115**

AufbaumaÙe

Grundregal:
Nennlänge + 60 mm

Anbauregal:
Nennlänge + 6 mm

Rahmentiefe gesamt:
(Nenntiefe + 36 mm) x 2

Knicklänge:

Alle Bestellvorschläge sind statisch auf eine maximale Knicklänge von 600 mm ausgelegt. Größere Knicklängen auf Anfrage möglich.



Product features

- + structurally connected with each other
- + Heights available from 1,800 to 7,500 mm
- + Loading and unloading of the stock items possible from both sides
- + Ideal for storing long goods
- + Large storage volume in a small area
- + quick assembly by simply plugging in the shelves
- + Height of the shelves can be adjusted in increments of 25 mm
- + Possible to increase the bay load through additional side elements
- + Bracing with face beams

Uninterrupted utilisation of the storage levels

The construction with face beams enables loading of the goods on the entire storage level up to 2 x 1,000 mm depth.



MULTIplus150

Face beam

Shelf width 1,000 mm – shelf load 150 kg											
Depth mm			2 x 300		2 x 400		2 x 500		2 x 600		
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Extension-shelving
Frames / shelves galvanised	2,000	2 x 1.3 t	2 x 5	17830	17835	17840	17845	17850	17855	17860	17865
	2,500	2 x 1.4 t	2 x 6	17831	17836	17841	17846	17851	17856	17861	17866
	3,000	2 x 1.5 t	2 x 7	17832	17837	17842	17847	17852	17857	17862	17867
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B
Frames / shelves RAL 7035 light grey	2,000	2 x 1.3 t	2 x 5	33130	33135	33140	33145	33150	33155	33160	33165
	2,500	2 x 1.4 t	2 x 6	33131	33136	33141	33146	33151	33156	33161	33166
	3,000	2 x 1.5 t	2 x 7	33132	33137	33142	33147	33152	33157	33162	33167
	Additional shelf with 4 shelf supports			37230-B	37230-B	37240-B	37240-B	37250-B	37250-B	37260-B	37260-B
Frame: RAL 5010 blue shelves: galvanised	2,000	2 x 1.3 t	2 x 5	33130-B	33135-B	33140-B	33145-B	33150-B	33155-B	33160-B	33165-B
	2,500	2 x 1.4 t	2 x 6	33131-B	33136-B	33141-B	33146-B	33151-B	33156-B	33161-B	33166-B
	3,000	2 x 1.5 t	2 x 7	33132-B	33137-B	33142-B	33147-B	33152-B	33157-B	33162-B	33167-B
	Additional shelf with 4 shelf supports			17230-B	17230-B	17240-B	17240-B	17250-B	17250-B	17260-B	17260-B

MULTIplus250

Shelf width 1,000 mm – shelf load 250 kg											
Depth mm			2 x 300		2 x 400		2 x 500		2 x 600		
Height mm	Bay load max. tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Extension-shelving
Frames / shelves galvanised	2,000	2 x 1.4 t	2 x 5	17930	17935	17940	17945	17950	17955	17960	17965
	2,500	2 x 1.8 t	2 x 6	17931	17936	17941	17946	17951	17956	17961	17966
	3,000	2 x 1.8 t	2 x 7	17932	17937	17942	17947	17952	17957	17962	17967
	Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B
Frames / shelves RAL 7035 light grey	2,000	2 x 1.4 t	2 x 5	33230	33235	33240	33245	33250	33255	33260	33265
	2,500	2 x 1.8 t	2 x 6	33231	33236	33241	33246	33251	33256	33261	33266
	3,000	2 x 1.8 t	2 x 7	33232	33237	33242	33247	33252	33257	33262	33267
	Additional shelf with 4 shelf supports			37330-B	37330-B	37340-B	37340-B	37350-B	37350-B	37360-B	37360-B
Frame: RAL 5010 blue shelves: galvanised	2,000	2 x 1.4 t	2 x 5	33230-B	33235-B	33240-B	33245-B	33250-B	33255-B	33260-B	33265-B
	2,500	2 x 1.8 t	2 x 6	33231-B	33236-B	33241-B	33246-B	33251-B	33256-B	33261-B	33266-B
	3,000	2 x 1.8 t	2 x 7	33232-B	33237-B	33242-B	33247-B	33252-B	33257-B	33262-B	33267-B
	Additional shelf with 4 shelf supports			17330-B	17330-B	17340-B	17340-B	17350-B	17350-B	17360-B	17360-B

All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.

Corner shelving

—> for optimal utilisation
of the entire storage area



5
days
ex stock

5
years
warranty
Shelving
system

10
years
warranty
Availability

Shelf dimensions mm

Widths 1.000
Heights 2.000 / 2.500 / 3.000
Depths 300 / 400 / 500 / 600

Planning

The specified load capacities apply for evenly distributed loads per shelf.

All complete shelving units include cross braces, cover caps and clamping feet.

If you require pre-assembled frames, these are riveted at the factory up to 2,500 mm high and 600 mm deep for an extra charge. —> [page 108](#)

Safety

Shelving with a height/depth ratio greater than 5:1 must be secured against tipping in accordance with the DGUV (German statutory accident insurance association) regulation 208-061.

Example:

A shelf unit with a depth of 300 mm and a height of 2,000 mm must be secured by wall, foot or head bracing (see fixing accessories). —> [page 115](#)

Assembly measurements

Corner shelving bay A:
Nominal length + 60 mm

Corner shelving bay B:
Nominal length + Depth bay A + 48 mm

Extension shelving bay C:
Nominal length + 6 mm

Total frame depth:
Nominal length + 36 mm



Corner solution with suspension bracket

By mounting the shelves with suspension console, problem-free access is guaranteed up to the corner.


Product features

- + Corner shelving with suspension brackets comprising A + B bays
- + All **MULTIplus150** shelves of the corner shelving bay A are braced using face beams
- + Stabilisation of the corner extension bay C with cross braces
- + Optimal capacity utilisation of your storage spaces
- + Fast assembly thanks to simple plug-in system of the levels
- + Load capacity per shelf up to 150 kg
- + The bay load for corner shelving is up to 1.2 tons
- + The height of the levels can be adjusted in increments of 25 mm

Assembly of corner shelving and extension shelving

Planning information

Bays A + B of the corner shelving are only available in a width of 1,000 mm. Add-on shelves C are also available in widths of 750 mm and 1,300 mm. Please note that add-on shelving C must always be fitted with a cross brace.



Corner shelf (bays A + B)



Extension shelf (bay C)



with face beam – width 1,000 mm							
	Depth mm			300	400	500	600
	Height mm	Bay load kg	Shelves	Corner-shelf	Corner-shelf	Corner-shelf	Corner-shelf
Frames / shelves galvanised	2,000	900	2 x 5	12730-ECK	12740-ECK	12750-ECK	12760-ECK
	2,500	1,100	2 x 6	12731-ECK	12741-ECK	12751-ECK	12761-ECK
	3,000	1,200	2 x 7	12732-ECK	12742-ECK	12752-ECK	12762-ECK
	Additional shelf A with face beams			17230-ECK	17240-ECK	17250-ECK	17260-ECK
	Additional shelf B with 2 shelf supports + 2 suspension brackets			17230-B-ECK	17240-B-ECK	17250-B-ECK	17260-B-ECK
Frames / shelves RAL 7035 light grey	2,000	900	2 x 5	32630-ECK	32640-ECK	32650-ECK	32660-ECK
	2,500	1,100	2 x 6	32631-ECK	32641-ECK	32651-ECK	32661-ECK
	3,000	1,200	2 x 7	32632-ECK	32642-ECK	32652-ECK	32662-ECK
	Additional shelf A with face beams			37230-ECK	37240-ECK	37250-ECK	37260-ECK
	Additional shelf B with 2 shelf supports + 2 suspension brackets			37230-B-ECK	37240-B-ECK	37250-B-ECK	37260-B-ECK

with cross brace – width 1,000 mm							
	Depth mm		300	400	500	600	
	Bay load kg	Shelves	Extension-shelf	Extension-shelf	Extension-shelf	Extension-shelf	
	900	5	12735-ECK	12745-ECK	12755-ECK	12765-ECK	
	1,100	6	12736-ECK	12746-ECK	12756-ECK	12766-ECK	
	1,200	7	12737-ECK	12747-ECK	12757-ECK	12767-ECK	
	Additional shelf C with 4 shelf supports		17230-B	17240-B	17250-B	17260-B	
	900	5	32635-ECK	32645-ECK	32655-ECK	32665-ECK	
	1,100	6	32636-ECK	32646-ECK	32656-ECK	32666-ECK	
	1,200	7	32637-ECK	32647-ECK	32657-ECK	32667-ECK	
	Additional shelf C with 4 shelf supports		37230-B	37240-B	37250-B	37260-B	


All prices without fitting. The tables show ordering examples. Other dimensions and versions on request.

Plug-in shelving system
Shelving system Bolted system
Shelving systems Office and Archive
Wide-span shelving
Pallet racking
Cantilever racking
Shelving systems and mezzanine systems

SCHULTE shelving sets

EXPRESSline

→ 48 hours from stock



Shelving systems

our top sellers with express delivery

Properties

- + incl. 5 **MULTIplus150** shelves
- + available in the depths 300, 400, 500 and 600 mm
- + Height of the shelves can be adjusted in increments of 25 mm
- + Single-sided use, bracing with cross brace
- + Galvanised

Benefits

- + in 48 hours ready for delivery from the warehouse
- + conveniently packed in cartons



EXPRESSline

Shelf width 1,000 mm · shelf load 150 kg

		Depth mm		300		400		500		600	
Galvanised	Height mm	Bay load tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving
		2,000	1.3 t	5	12730-K	12735-K	12740-K	12745-K	12750-K	12755-K	12760-K
	Pack of 2 additional shelves with 8 shelf supports			17230-2-K	17230-2-K	17240-2-K	17240-2-K	17250-2-K	17250-2-K	17260-2-K	17260-2-K

The MULTIplus set

→ Packaged ready for pickup



Shelving systems

shrink-wrapped in foil

Properties

- + Incl. 4 MULTIplus150 shelves
- + With pre-assembled T-profile frames
- + Available in depths 400, 500 and 600 mm
- + Height of the shelves can be adjusted in increments of 25 mm
- + Single-sided use, bracing with cross brace
- + Galvanised

Benefits

- + Ready to pick up, as held in stock in SCHULTE specialist trade
- + Simple, tool-free assembly



Ideal for points of sale:
SCHULTE Sales stands

Request our special catalogue on the subject of POS.

The MULTIplus set

Shelf load 150 kg – Bay load 1.3 t

		Depth mm				400		500		600	
Galvanised	Height mm	Width mm	Bay load tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	
		2,000	1,000	1.3 t	4	12740-4	12745-4	12750-4	12755-4	12760-4	12765-4
	Pack of 2 additional shelves with 8 shelf supports				12759	12759	12758	12758	12758-60	12758-60	

Sustainability in storage planning



Pre-Production



Own production



Transports

Shelf dimensions mm

Width 1,000
Height 2,000
Depths 400 / 500 / 600

SCHULTE GREEN

→ The first 100% CO₂-compensated shelf



SCHULTE Green shelving system

packed in carton

Properties

- + Incl. 4 MULTIplus150 shelves
- + With pre-assembled T-profile frames
- + Available in depths 400, 500 and 600 mm
- + Height of the shelves can be adjusted in increments of 25 mm
- + Single-sided use, bracing with cross brace
- + Galvanised

Benefits

- + Ready to pick up, as held in stock in SCHULTE specialist trade
- + Simple, tool-free assembly

SUSTAINABLY
PRODUCED IN GERMANY



SCHULTE Green

Shelf load 150 kg – Bay load max. 1.3 t										
		Depth mm			400		500		600	
Galvanised	Height mm	Width mm	Bay load tons	Shelves	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving	Starter-shelving	Extension-shelving
		2,000	1,000	1.3 t	4	12740-4-CO2	12745-4-CO2	12750-4-CO2	12755-4-CO2	12760-4-CO2
	Pack of 2 additional shelves with 8 shelf supports				12759-CO2	12759-CO2	12758-CO2	12758-CO2	12758-60-CO2	12758-60-CO2

Special shelving

Plug-in shelving system

Shelving system Bolted system

Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems



800

Accessories for customised, industry-specific combinations
→ from page 110

Shelving module 01

Consisting of

- + 4 **MULTIplus150** shelves
- + 1 mount for threaded bars
- + 1 sloping shelf with 12 dividers and tilt protection
- + 1 locking bar for oil storage
- + 1 containment tray

Technical data

- + H 2,000 x W 1,000 x D 500 mm
- + Bracing with cross brace
- + max.bay load 1.3 tons
- + T-profile frames RAL 7035 light grey shelves galvanised

Starter shelf	12750-M1 ●
Extension shelf	12755-M1 ●

Shelving module 02

Consisting of

- + 6 **MULTIplus150** shelves
- + 3 bulk goods trays with total of 15 dividers

Technical data

- + H 2,000 x W 1,000 x D 500 mm
- + Bracing with cross brace
- + max.bay load 1.3 tons
- + T-profile frames RAL 7035 light grey shelves galvanised

Starter shelf	12750-M2 ●
Extension shelf	12755-M2 ●

Shelving module 03

Consisting of

- + 3 **MULTIplus150** shelves
- + 2 perforated plates
- + 1 set of 3 drawers

Technical data

- + H 2,000 x W 1,000 x D 500 mm
- + Bracing with cross brace
- + max.bay load 1.3 tons
- + T-profile frames RAL 7035 light grey shelves galvanised

Starter shelf	12750-M3 ●
Extension shelf	12755-M3 ●

→ for specific applications



Shelving module 04

Consisting of

- + 5 MULTIplus150 shelves
- + 10 plug-in dividers height 400 mm
- + 1 pull-out shelf

Technical data

- + H 2,000 x W 1,000 x D 500 mm
- + Bracing with cross brace
- + max.bay load 1.3 tons
- + T-profile frames RAL 7035 light grey shelves galvanised

Starter shelf	12750-M4 ●
Extension shelf	12755-M4 ●

Shelving module 05

Consisting of

- + 7 sloping MULTIplus150 shelves
- + 2 straight MULTIplus150 shelves
- + 49 divider guides

Technical data

- + H 2,000 x W 1,000 x D 500 mm
- + Bracing using face beams
- + max.bay load 1.3 tons
- + T-profile frames RAL 7035 light grey shelves galvanised

Starter shelf	12750-M5 ●
Extension shelf	12755-M5 ●

Shelving module 06

Consisting of

- + 5 MULTIplus150 shelves
- + Side walls
- + Rear wall
- + 1 wing door incl. locking at 3 points

Technical data

- + H 2,000 x W 1,000 x D 500 mm
- + Bracing with cross brace
- + max.bay load 1.3 tons
- + T-profile frames RAL 7035 light grey shelves galvanised

Starter shelf	12750-M6 ●
Extension shelf	12755-M6 ●

Plug-in shelving system

Shelving system Bolted system


Shelving systems Office and Archive

Wide-span shelving

Pallet racking

Cantilever racking

Shelving systems and mezzanine systems



Kanban shelving

With / without divider and side guides

double-sided use

Properties

- + 8 **MULTIplus150** shelves, of which 7 are sloped with 14° inclination and 1 straight cover base
- + Optionally with 5 divider guides, 2 side guides (for width of 1,000 mm) or 7 divider guides, 2 side guides (for width of 1,300 mm)
- + Ideal for plastic picking containers, storage boxes, cardboard boxes
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing with face beams
- + T-profile frames with 3 side elements and bases galvanised, face beam RAL 7035 light grey

Benefits

- + ideal for „first-in-first-out“ storage, as stored goods can slide on the smooth, galvanised shelves
- + Optimal organisation of the stock items through horizontally adjustable divider guides (50 mm grid)
- + Direct view and easy access through the slope of the shelves
- + Faster assembly thanks to simple shelf plug-in system
- + The front face beam is raised 15 mm and prevents the goods falling out

With divider and side guides

Shelf load 150 kg - max. bay load 1.3 t								
Depth mm		500		600		800		
Height mm	Width mm	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	
2,000	1,000	13640	13641	13660	13661	13650	13651	
		Additional level	13640-Z	13640-Z	13660-Z	13660-Z	13650-Z	13650-Z
2,000	1,300	13640-130	13641-130	13660-130	13661-130	13650-130	13651-130	
		Additional level	13640-Z-130	13640-Z-130	13660-Z-130	13660-Z-130	13650-Z-130	13650-Z-130

Additional level, consisting of: 1 shelf, 2 face beams, 5 divider guides and 2 side guides

Without divider and side guides


Shelf load 150 kg - max. bay load 1.3 t								
Depth mm		500		600		800		
Height mm	Width mm	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	
2,000	1,000	13610	13611	13630	13631	13620	13621	
		Additional level	13610-Z	13610-Z	13630-Z	13630-Z	13620-Z	13620-Z
2,000	1,300	13610-130	13611-130	13630-130	13631-130	13620-130	13621-130	
		Additional level	13610-Z-130	13610-Z-130	13630-Z-130	13630-Z-130	13620-Z-130	13620-Z-130

Additional level, consisting of: 1 shelf, 2 face beams

Component parts			
for depth mm	500	600	800
Divider guides	10367-25	10368-25	10369-25
Side guides	10381-25	10382-25	10383-25

The corresponding face beam can be found on page 113.

All prices without fittings. The tables show ordering examples. Other dimensions and versions on request.



Double Kanban shelving

With / without divider and side guides

double-sided use

Properties

- + 16 **MULTIplus150** shelves, of which 14 are sloped with 14° inclination and 2 straight cover bases
- + Optionally with 5 divider guides, 2 side guides (with a width of 1,000 mm) or 7 divider guides, 2 side guides (with a width of 1,300 mm)
- + Ideal for plastic picking containers, storage boxes, cardboard boxes
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing with face beams
- + T-profile frames with 3 side elements and bases galvanised, face beam RAL 7035 light grey

Benefits

- + ideal for „first-in-first-out“ storage, as stored goods can slide on the smooth, galvanised shelves
- + Optimal organisation of the stock items through horizontally adjustable divider guides (50 mm grid)
- + Direct view and easy access through the slope of the shelves
- + Fast assembly thanks to simple shelf plug-in system
- + The front face beam is raised 15 mm and prevents the goods falling out

With divider and side guides

Shelf load 150 kg - max. bay load 1.3 t								
Depth mm		2 x 500		2 x 600		2 x 800		
Height mm	Width mm	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	
galvanised	2,000	1,000	21750	21755	21760	21765	13652	13653
	Additional level		21750-Z	21750-Z	21760-Z	21760-Z	13652-Z	13652-Z
	2,000	1,300	21750-130	21755-130	21760-130	21765-130	13652-130	13653-130
	Additional level		21750-Z-130	21750-Z-130	21760-Z-130	21760-Z-130	13652-Z-130	13652-Z-130

Additional level, consisting of: 2 shelves, 4 face beams, 10 divider guides and 4 side guides

Without divider and side guides

Shelf load 150 kg - max. bay load 1.3 t								
Depth mm		2 x 500		2 x 600		2 x 800		
Height mm	Width mm	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	Starter-shelf	Extension-shelf	
galvanised	2,000	1,000	21751	21756	21761	21766	21781	21786
	Additional level		21751-Z	21751-Z	21761-Z	21761-Z	21781-Z	21781-Z
	2,000	1,300	21751-130	21756-130	21761-130	21766-130	21781-130	21786-130
	Additional level		21751-Z-130	21751-Z-130	21761-Z-130	21761-Z-130	21781-Z-130	21781-Z-130

Additional level, consisting of: 2 shelves, 4 face beams

All prices without fittings. The tables show ordering examples. Other dimensions and versions on request.

Component parts			
for depth mm	500	600	800
Divider guides	10367-25	10368-25	10369-25
Side guides	10381-25	10382-25	10383-25

The corresponding face beam can be found on page 113.



Image shows the 1,300 mm width version. Suggested placement: 9 Euro stacking boxes 600 x 400 x 320 mm as shown, see page 139

5 days ex stock

5 years warranty Shelving system

10 years warranty Availability

GS

RAL GÜTEZEICHEN

Sloping shelves L

For containers and boxes

double-sided use

Properties

- + 3 sloping levels **MULTIplus150** shelves
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing with face beams
- + T-profile frames with 3 side elements galvanised, shelves galvanised, face beam RAL 7035 light grey

Benefits

- + Direct view and easy access through the slope of the shelving levels
- + The front face beam is raised 15 mm and prevents the goods falling out

Shelf load 150 kg - max. bay load 1.3t

Height mm	Width mm	Depth mm	Starter-shelving	Extension-shelving
2,000	1,000	600	13697	13698
Additional level*	1,000	600	13699	13699
2,000	1,300	600	13680	13681
Additional level*	1,300	600	13684	13684

* Additional level consists of: 1 shelf, 1 standard face beam, 1 special face beam see page 113 in accessories

Sloping shelves XL

For containers and boxes

double-sided use

Properties

- + 5 sloping levels each with 2 **MULTIplus150** shelves
- + max. 150 kg shelf load per level
- + Co-rotating and counter-rotating double shelving on request
- + The height of the levels can be adjusted in increments of 25 mm
- + Reinforcement by special face beams
- + T-profile frame with 3 depth ledgers RAL 5010 gentian blue, face beams RAL 7035 light grey, shelves galvanised


Benefits

- + Ideal for "first-in-first-out" warehouses, as stock items can slide through on the smooth, galvanised shelves
- + direct view and easy access due to the inclined position of the shelves
- + The front face beam is raised 15 mm and prevents the goods falling out

Shelf load 150 kg - max. bay load 1.3t

Height mm	Width mm	Depth mm	Starter-shelving	Extension-shelving
2,000	1,300	1,200	38860	38865
Additional level*	1,300	1,200	38868	38868

Suggested placement: 30 Euro stacking boxes 400 x 330 x 210 mm as shown, see page 139



* Max. load capacity per roller track 20 kg

Guiderails and roller bar

Supply shelving

With roller tracks for containers and boxes

double-sided use

Properties

- + 4 levels each comprising 1 front crossbar, 1 rear crossbar and 9 roller tracks
- + Max. 180 kg shelf load per level
- + Side elements mark the end of the levels
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing through front and rear crossbeams
- + Guiderails optionally available as dividers
- + T-profile frame with 4 depth ledgers RAL 5010 gentian blue, galvanised cheeks and roller bars

Benefits

- + ideal for first-in-first-out storage, as stock items slide across the roller tracks
- + direct view and easy access due to inclined position of the levels

Shelf load 180 kg - max. bay load 1.3 t					
Height mm	Width mm	Depth mm	Starter-shelving	Extension-shelving	
2,000	1,300	1,300	38870	38871	
Additional level*	1,300	1,300	38872	38872	
Guiderails as divider				38873	
Front crossbar 1,300 mm				33010	
Rear crossbar 1,300 mm				33011	
Roller tracks				33012	

*Additional level consists of: 1 front cheek, 1 rear cheek, 9 roller bars



Combination shelving

Shelves and sloping shelves with dividers

double-sided use

Properties

- + 6 MULTIplus150 shelves, including 3 sloping levels each with 5 dividers incl. tilt protection and 3 straight levels
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing with face beams
- + Rack galvanised, face beam RAL 7035 light grey

Benefits

- + Optimal distribution of the goods through horizontally adjustable dividers
- + Stock items can slide through on the smooth, galvanised shelves
- + Direct view and easy access through the slope of the shelves
- + Front face beam and tilt protection to prevent the goods falling out

Shelf load 150 kg - max. bay load 1.3 t					
Height mm	Width mm	Depth mm	Starter-shelving	Extension-shelving	
2,000	1,000	500	14280	14285	



5 days ex stock

5 years warranty Shelving system

10 years warranty Availability



Long-goods shelving

For vertical storage of items up to approx. 2,200 mm
single-sided use

Properties

- + 1 MULTIplus150 shelf
- + 2 universal kits each with 4 partitioning pipes 400 mm
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing with face beams
- + Galvanised

Benefits

- + Optimal for wood strips, pipes, panels etc.
- + Soft foam covering to protect sensitive items, e. g. refined metals

Shelf load 150 kg - max. bay load 300 kg				
Height mm	Width mm	Depth mm	Starter-shelving	Extension-shelving
2,000	1,000	500	22620	22625

Partitioning pipe



- + Coated for protective storage
- + Incl. end cap

Length mm	300	400	500
	14045	14046	14047

Drawer shelving

with set of 3 drawers
single-sided use

Properties

- + 5 MULTIplus150 shelves, 3 drawers each 100 mm and 1 ribbed rubber mat
- + The height of the levels can be adjusted in increments of 25 mm
- + Drawers and cover load capacity up to 50 kg each
- + Up to 150 kg shelf load capacity per level
- + Telescopic drawer slide with 100% extension of the drawers with inner dimensions of 918 x 475 x 80 mm WxDxH
- + Bracing with face beams
- + Shelving unit galvanised, shelving drawers RAL 7035 light grey

Benefits

- + Optimal and closed storing of small parts
- + Drawers can be combined with insert boxes and slotted tray sets (page 125)
- + Handle strip with inscription label and protective foil



5 days ex stock

5 years warranty Shelving system

10 years warranty Availability



Shelf load 150 kg - max. bay load 1,3t				
Height mm	Width mm	Depth mm	Starter-shelving	Extension-shelving
2,000	1,000	500	14680	14685



Wire mesh basket shelving

For storage of small parts

single-sided use

Properties

- + With 4 mesh wire baskets 2,000 mm height and 5 mesh wire baskets 2,300 mm height each with 2 partition grids and 2 **MULTIplus150** shelves
- + 35 kg load capacity per wire mesh basket
- + Mesh size 27 mm
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing with cross brace and face beam
- + Shelving galvanised, wire baskets gloss galvanised

Benefits

- + Direct view and easy access
- + Variable application options
- + Flexible partitioning by means of partition grids

Shelf load 150 kg - max. bay load 1.3 t					
Height mm	Width mm	Depth mm		Starter-shelving	Extension-shelving
2,000	1,000	500		13672	13673
2,300	1,000	500		13674	13675
Partitioning grid for wire mesh basket				13677	13677
Additional basket incl. 4 universal supports				13676	13676



Spill containment shelving

Safety at all levels

double-sided use

Properties

- + 4 containment trays and 1 **MULTIplus150** cover shelf
- + Up to 150 kg load capacity of the tray with 60 mm edge height
- + Volume of the containment trays:
depth 500 mm = 18 litres / depth 600 mm = 22 litres
- + Height of the containment tray can be adjusted in increments of 25 mm
- + Bracing with face beams
- + Galvanised

Nutzen

- + Containment trays made of 1.5 mm galvanised sheet steel safely catch any leaking liquids
- + Shorter warehouse walking times thanks to two-side access

Shelf load 150 kg - max. bay load 1.3 t					
Height mm	Width mm	Depth mm		Starter-shelving	Extension-shelving
2,000	1,000	500		14940	14941
Additional container tray with 4 universal supports				14994	14994
2,000	1,000	600		14942	14943
Additional container tray with 4 universal supports				14992	14992



Beverage crate shelving

For all conventional beverage crates

single-sided use

Properties

- + extremely robust, can be loaded up to 60 kg per level
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing through crossbeams
- + T-profile frame in structure-black, beverage crate inserts in silver-plated

Benefits

- + Clearly displayed storage of different crates
- + Beverage bottles can be taken out individually
- + Faster assembly thanks to simple plug-in system of the levels

Shelf load 60 kg - max. bay load 300 kg								
Height mm	Width mm	Depth mm	Level	Crates per level		Starter-shelving	Extension-shelving	
1,800	400	300	3	1		37000-S	37002-S	
Additional level with 2 crossbeams						37004	37004	
1,800	750	300	3	2		37001-S	37003-S	
Additional level with 2 crossbeams						37005	37005	
1,800	1,000	300	3	3		37006-S	37007-S	
Additional level with 2 crossbeams						37010	37010	
1,800	1,300	300	3	4		37008-S	37009-S	
Additional level with 2 crossbeams						37011	37011	



Wine racks

For storing bottles on their side

single-sided use

Properties

- + Up to 96 bottles per rack and 1 level for cardboard boxes
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing through crossbeams
- + T-profile frame in structure-black, bottle inserts and shelf in silver-plating

Benefits

- + Fast loading and unloading
- + Clearly displayed storage
- + Faster assembly through simple inserting the bottle inserts

max. bay load 300 kg								
Height mm	Width mm	Depth mm	Level	Bottles per level		Starter-shelving	Extension-shelving	
1,800	1,000	250	9	72		26860	26861	
2,300	1,000	250	12	96		26862	26863	
Additional level with bottle insert pair						26864	26864	
Additional shelf incl. shelf supports						37291-B	37291-B	



5^F
days
ex stock

5[✓]
years
warranty
Shelving
system

10[✓]
years
warranty
Availability



Garment wardrobe shelving

For professional and protective work wear

double-sided use

Properties

- + 3 **MULTIplus150** shelves and 1 clothes rail
- + The height of the levels can be adjusted in increments of 25 mm
- + Bracing with face beams
- + T-profile frames, face beam and bases galvanised
clothes rail gloss galvanised

Benefits

- + Optimal for hanging and flat storage of professional and protective work wear
- + Ideal for changing rooms, workshops etc.
- + Flexibility through option of changing the height of the individual storage bays

Shelf load 150 kg - max. bay load 500 kg					
Height mm	Width mm	Depth mm		Starter-shelving	Extension-shelving
2,000	750	600		14150	14155
2,000	1,000	600		14151	14156
2,000	1,300	600		14152	14157

Load capacity of the clothes rail: 750 mm = 50 kg, 1,000 mm = 45 kg, 1,300 mm = 40 kg



2^F
weeks
ex stock

5[✓]
years
warranty
Shelving
system



Hinged door cabinets

from plug-in system elements

single-sided use

Properties

- + 5 **MULTIplus150** shelves for 500/600/800 mm depth or 5 **MULTIplus250** shelves for 1,000 mm depth
- + 1 hinged door incl. 3-point locking, keyed alike
- + 1 rear wall and 2 side panels
- + The height of the levels can be adjusted in increments of 25 mm
- + available up to 1,000 mm depth
- + Bracing with cross brace
- + T-profile frames RAL 7035 light grey, shelves galvanised

Benefits

- + Goods can be safely locked
- + Dust-free and concealed storage
- + Storage of cartons and articles up to 1,000 mm depth
- + Easy to integrate into rows of shelving

Shelf load 150 kg/250 kg - max. bay load 1.4 t						
Height mm	Width mm	Depth mm	Level		Starter-shelving	Extension-shelving
2,000	1,000	500	150		12750-M6	12755-M6
2,000	1,000	600	150		12760-M6	12765-M6
2,000	1,000	800	150		12580-M6	12585-M6
2,000	1,000	1,000	250		12990-M6	12995-M6

Small parts shelving sets

for optimal management of small parts

Our small parts shelving sets offer you completely fitted-out shelving for the greatest possible storage density. Equipped with a range of shelving containers, you can perfectly organise your small parts on 15 levels with the **MULTIplus150** shelves.



2^F
weeks
ex stock

5[✓]
years
warranty
Shelving
system

10[✓]
years
warranty
Availability



Small parts shelving set 1

with 150 shelving containers

Properties

- + 15 **MULTIplus150** shelves with shelving containers and 1 **MULTIplus150** cover shelf
- + Bracing with cross brace
- + Shelving galvanised

Benefits

- + Optimal storage of small parts
- + Greatest possible utilisation of the storage area

Set 1 comprising:

- + Plug-in shelving system
- + 150 containers red (H x W x D): 83 x 93 x 300/400/500/600 mm

Shelf load 150 kg - max. bay load 2,4 t									
Depthmm		300		400		500		600	
Height mm	Width mm	Starter-shelf	Extension shelf						
2,000	1,000	12721	12722	12723	12724	12725	12726	12417	12418

Accessories for shelving containers can be found on page 136.



2^F
weeks
ex stock

5 years
warranty
Shelving
system

10 years
warranty
Availability



Small parts shelving set 2

with 110 shelving containers

Properties

- + 15 **MULTIplus150** shelves with shelving containers and 1 **MULTIplus150** cover shelf
- + Bracing with cross brace
- + Shelving galvanised

Benefits

- + Optimal storage of small parts
- + Greatest possible utilisation of the storage area
- + Use of colour to organise the items

Set 2 comprising:

- + Plug-in shelving system
- + 70 shelving containers red (H x W x D): 83 x 93 x 300/400/500/600 mm
- + 40 shelving containers blue (H x W x D): 83 x 186 x 300/400/500/600 mm

Shelf load 150 kg - max. bay load 2,4 t									
Depth mm		300		400		500		600	
Height mm	Width mm	Starter-shelf	Extension shelf						
2,000	1,000	12727	12728	12790	12791	12792	12793	12802	12803



2^F
weeks
ex stock

5 years
warranty
Shelving
system

10 years
warranty
Availability



Small parts shelving set 3

with 75 shelving containers

Properties

- + 15 **MULTIplus150** shelves with shelving containers and 1 **MULTIplus150** cover shelf
- + Bracing with cross brace
- + Shelving galvanised

Benefits

- + Optimal storage of small parts
- + Greatest possible utilisation of the storage area

Set 3 comprising:

- + Plug-in shelving system
- + 75 containers blue (H x W x D): 83 x 186 x 300/400/500/600 mm

Shelf load 150 kg - max. bay load 2,4 t									
Depth mm		300		400		500		600	
Height mm	Width mm	Starter-shelf	Extension shelf						
2,000	1,000	12794	12795	12796	12797	12798	12799	12800	12801